



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification<sup>6</sup>:

G06F 17/60, G06G 7/52

A1

(11) International Publication Number:

WO 97/41524

(43) International Publication Date:

6 November 1997 (06.11.97)

(21) International Application Number: PCT/US97/07207

(22) International Filing Date: 30 April 1997 (30.04.97)

(30) Priority Data:

60/016,486

30 April 1996 (30.04.96)

US

(71) Applicant: IC2 SOLUTIONS, INC. [US/US]; Station House, Suite 110, 900 Haddon Avenue, Collingswood, NJ 08108-2110 (US).

(72) Inventors: JONES, Steven, P.; 545 Newton Lake Drive, 811C, Oakland, NJ 08107 (US). ROSANO, Gregory, D.; 26 Jefferson Road, Glenmont, NY 12077 (US).

(74) Agents: MILLER, Suzanne, E. et al.; Woodcock Washburn Kurtz Mackiewicz &amp; Norris L.L.P., 46th floor, One Liberty Place, Philadelphia, PA 19103 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: LEGAL CLAIMS PROCESSING SYSTEM AND METHODS OF LITIGATION MANAGEMENT USING THE SAME

## (57) Abstract

An integrated and automated system for use in caseload management is disclosed. The system includes a central hub (20) having an authorized subscriber database (26), a router (22), and a selector (24). Each authorized subscriber is linked (27) to the central hub (20) via a subscriber system (30). The subscriber system (30) includes a workstation at which information may be displayed and entered and a data storage medium having a new cases database (34), a communications management database (36), and a billing database. Each source or insurer is connected (28) to the central hub (20) via a source system (40). The source system includes a workstation at which information may be displayed and entered and a data storage medium having a new claims database (42), a communication management database (44), and billing database (46). New claims are submitted by the source and undergo a new claims authorization process carried out by the disclosed system. The claims authorization process involves the selection of a subscriber and an option conflict check process and a budget approval process. After a new case is authorized, a communication link is established through the central hub (20) between the source (40) where the claim originated and the selected and authorized subscriber (30). The system also provides processes for requesting approval in connection with certain activities for cost-containment purposes.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## **LEGAL CLAIMS PROCESSING SYSTEM AND METHODS OF LITIGATION MANAGEMENT USING THE SAME**

### **FIELD OF THE INVENTION**

The present invention relates generally to data processing systems and  
5 networks. More particularly, the present invention relates to a legal claims processing  
system and methods of using the legal claims processing system for caseload  
management.

### **BACKGROUND**

The rising costs associated with insurance-based claims litigation has  
10 prompted a concerted effort by both legal service providers and insurers to establish  
cost-containment measures. Such measures have been implemented with technology-  
based solutions. These solutions have included, for example, automated computer  
systems used by a legal service provider for tracking the status and managing cases  
handled by that legal service provider (*see e.g.*, U.S. Patent No. 5,182,705 issued  
15 January 26, 1993). However, such system fail to provide automated processes between  
the insurers and legal service providers whereby necessary information can be easily  
communicated and exchanged. For example, when a claim is filed by an insured with  
his or her insurance company, a claims adjuster must make personal contact with a  
legal service provider to represent the insurance company in relation to that claim.  
20 The claim adjuster currently makes this contact by telephone or by mail. The legal  
service provider often will perform an internal conflict check to ensure that it can  
represent the insurer on the designated claim. If the legal service provider requires

- 2 -

additional information to perform this conflict check, then the legal service provider must call the claims adjuster and request additional information. Often what ensues is a series of telephone tag between legal service provider and claims adjuster even before the claim is successfully assigned to counsel. Therefore, there is a need for a more efficient process to assign a claim to counsel.

Once a legal service provider acknowledges that it has no conflict and is willing to represent the insurance company on the claim, the insurer often request a proposed budget plan from the legal service provider. The budget plan may be transferred by mail. In the event that the budget plan requires modifications or is otherwise unacceptable to the insurer, the claims adjuster must convey that information by telephone or by mail back to the legal service provider. The process of agreeing on an acceptable budget for the case often requires substantial time. Thus, there exists a need for a more expeditious budget proposal and acceptance process for case management purposes.

After a claim is assigned, information from the claims adjuster's files or electronic data that may already be available in an automated insurance policy tracking and management system such as that disclosed in U.S. Patent No. 5,191,522 issued March 2, 1993, must be forwarded to the legal service provider. That information is typically transferred via mail and thus the legal service provider upon receipt of that information must manually enter into its internal case tracking and management system or merely maintain a paper file. As more information is received either by the insurer or the legal service provider, the information is routed up and back via mail in paper form so that both the insurer and the legal service provider can maintain complete files relating to the adjudication of the claim. Therefore, there is a need for a more efficient means for both legal service providers and insures to share and access relevant information.

During the course of litigation, the insurer often requires that the legal service providers request authorization before proceeding with certain litigation related tasks, *e.g.*, deposition of an expert witness, filing of a motion for summary judgment, etc. Thus legal service providers, typically must request authorization in writing by mail or facsimile and await written authorization from the claims adjuster via mail or by facsimile before proceeding with the task. If the insurer or claims adjuster needs



- 3 -

more information before providing authorization, the claims adjuster and the legal service provider may then engage in further rounds of telephone tag until the requisite information can be obtained. This process often takes days or even weeks before authorization is granted by the claims adjuster and received by the legal service provider. Consequently, there exists a need for an expedient method of authorizing litigation tasks during the course of litigation.

Decisions regarding settlement and alternative dispute resolution are made by the insurer, and therefore, the claims adjuster should have access to the same information maintained by the legal service provider to track and manage cases being handled by the legal service providers. Thus, there additionally, exists a further need for the insurer to have access to the information maintained by the legal service provider.

While much of the claim-related information may now be transmitted between legal service providers and insurers using electronic communications, no integrated system currently exists for management and control of this information in one system. Importantly, without such a system there currently exists no integrated and automated approach to case assignment procedures, budget proposal acceptance, case tracking and evaluation by both legal service providers and insurers, litigation task authorization and the like.

## **20 SUMMARY OF THE INVENTION**

The present invention fulfills the aforementioned needs by providing an automated litigation management system and methods for automating the different cost-containment approaches utilized by insurers and legal service providers in a single integrated efficient system. This is accomplished by providing a method of managing litigation using an automated litigation management system networking a source of the litigation to a plurality of subscribers through a central hub. The method includes steps for entering new claim information relating to a new litigation into a source new claims databases associated with the source; transmitting a new claim signal in response to the entry of the new claim information into the source new claim database to a central processing means associated with the central hub and interfaced to a plurality of subscriber processing means each being associated with one of the plurality

- 4 -

of subscribers; selecting one of the plurality of subscribers in response to the transmission of the new claims signal; transmitting at least some of the new claims information to the selected subscriber; and automatically storing the new claim information so transmitted in a subscriber new cases database accessible by the subscriber processing means associated with the selected subscriber.

In a preferred embodiment, the method additionally includes steps for verifying that no conflict exists within the selected subscriber based on the new case information stored in the subscriber new cases database; and generating an electronic response indicative of the verification and transmitting the same to the source. In another preferred embodiment, the method also includes selecting a different one of the plurality of subscribers if based on the electronic response a conflict exists. In a more preferred embodiment, the method further includes steps for preparing a litigation proposal based on the new claim information stored in the subscriber new cases database; transmitting proposal data indicative of the litigation proposal to the source; storing the proposal data in the source new cases database; and transmitting a proposal response to the selected subscriber indicating whether the litigation proposal is acceptable. Preferably, the proposal response is representative of any one of a proposal acceptance, a proposal denial, and a request for more information. The new case information may be stored in a subscriber case database associated with the selected subscriber if the litigation proposal is acceptable.

The aforementioned needs are also fulfilled by the present invention in which another method of managing litigation using an automated litigation management system networking a source of the litigation to a plurality of subscribers through a central hub is disclosed. This method includes steps for generating a request for approval to perform a litigation activity; transmitting the request for approval from a subscriber processing means associated with one of the plurality of subscribers to a source processing means associated with the source; transmitting an activity response indicative of a decision to approve or deny the activity request; and updating a subscriber authorization database accessible by a subscriber processing means associated with the one subscriber. In a preferred embodiment, this method also includes steps for generating a request for payment associated with the activity when the activity is completed; enabling a transmission of the request for payment if the

- 5 -

activity request was approved; and disabling the transmission of the request for payment if the activity request was denied.

A litigation management system interconnecting at least one source of information and a plurality of subscribers where each of the plurality of subscribers has an associated office litigation administration system for facilitating the administration of litigation by the subscriber is also provided by the present invention. The system according to the invention includes a source system for providing source information relating to new and on-going litigations and for receiving subscriber information relating to the same litigations; a plurality of subscriber interfaces configured to receive source information and store the source information in the associated office litigation administration systems and to retrieve subscriber information from the associated office litigation administration systems and transmit the subscriber information so retrieved to the source system; and a central processing means interfaced to receive source information from the source system and subscriber information from the plurality of subscriber interfaces for establishing authorized links between the source and the plurality of subscribers based on predetermined criteria.

In a preferred embodiment, the system also includes a subscriber database interfaced with the central processing means for storing data relating to each of the plurality of subscribers. The central processing means preferably includes a selection means for selecting one of the plurality of subscribers based on at least some of the source information and the data stored in the subscriber database. In yet another preferred embodiment, the system includes a new claims database for storing new case information relating to new litigations. The source system preferably transmits at least some of the new claim information as source information to the central processing means thereby initiating a procedure to establish one authorized link. In a more preferred embodiment, the system additionally includes a database or multiple databases for storing subscriber information relating to the authorization of the predefined activities carried out by each subscriber connected to the source through one of the authorized links established by the central processing means. Still further, the system preferably includes a new cases database for storing source information received from the central processing means to establish one authorized link between the subscriber associated with the same subscriber interface. The same subscriber

- 6 -

interface preferably transfers the new case information from the new cases database to the associated office litigation administration system after the central processing means establishes the authorized link.

## BRIEF DESCRIPTION OF THE DRAWINGS

5           The present invention will be better understood, and its numerous objects and advantages will become apparent by reference to the following detailed description of the invention, when taken in conjunction with the following drawings, in which:

10           Figure 1 shows an exemplary network provided by a litigation management system according to the present invention;

          Figure 2 shows a block diagram of a legal claims processing system according to the present invention including its functional and database components and the interfaces between those components;

15           Figure 3 shows a flow diagram of the overall process carried out in accordance with the present invention;

          Figures 4A and 4B show a more detailed flow diagram of the steps carried out in connection with the new case authorization process in accordance with the present invention;

20           Figure 5 shows a detailed flow diagram of the activity authorization process in accordance with the present invention;

          Figure 6 shows a block diagram of the billing control function residing within the subscriber system in accordance with a preferred embodiment of the invention;

25           Figure 7 shows an example of a main menu displayed when logging into the subscriber system in accordance with a preferred embodiment of the invention;

          Figure 7A shows an example of an initial screen displayed in connection with the insurance claims database;

          Figure 8 shows an example of a new claim database interface in accordance with a preferred embodiment of the invention;

30           Figure 8A shows an example of a policy information field used in

- 7 -

accordance with the claims database with a preferred embodiment of the invention ;

Figure 9 shows an example of the claims database interface in "Edit" function mode in a preferred embodiment of the invention;

Figure 9A shows an example of "request types" available in the new claim database within the source system in a preferred embodiment of the invention;

Figure 9B shows an example of a list of subscribers available within the source system to assign a new claim in a preferred embodiment of the invention;

Figure 9C shows an example of a screen in the claim database to add additional notes to a claim within the source system in a preferred embodiment of the invention;

Figure 10 shows an example of a screen with a product liability claim available in the claims database within the source system in a preferred embodiment of the invention;

Figure 11 shows an example of a screen with a workers' compensation claim available in the new claim database within the source system in a preferred embodiment of the invention;

Figure 12 show an example of options for selecting a claim type available in the claims database within the source system in a preferred embodiment of the invention;

Figure 13 shows an example of a selected claim type in the claims database within the source system in a preferred embodiment of the invention;

Figure 14 shows that a claims processor has selected a product liability claim type from the claims database within the source system in a preferred embodiment of the invention;

Figure 15 shows an example of a screen available to allow a claims processor to select a subscriber to assign a new claim in a preferred embodiment of the invention;

Figure 15A shows a partially completed claim screen as imputed by a claim processor within the source system in a preferred embodiment of the invention;

Figure 15B shows a new claim assignment selection process in which a claims processor selects a subscriber to assign to a new claim within the source system in a preferred embodiment of the invention;

- 8 -

Figure 15C shows an acknowledgment of a successfully completed assignment of a new claim by the source system in a preferred embodiment of the invention;

5       Figure 16 shows an assignment of an investigation request from a claims processor to an outside investigator or adjuster within a source system in a preferred embodiment of the invention;

      Figure 16A shows a completed investigation report sent by an investigator or adjuster to a claims processor in a preferred embodiment of the invention;

10       Figure 17 shows an example of a request for a status report available within the source system sent by claims processor to subscriber in a preferred embodiment of the invention;

      Figure 17A shows an example of a collapsed status report and how a subscriber returns it to the claims processor in a preferred embodiment of the  
15   invention;

      Figure 18 shows the lists of requests available to a subscriber in the cases database within the subscriber system in a preferred embodiment of the invention;

20       Figure 18A shows an example of a requestor comments pop-up box available to a subscriber in the cases database in a preferred embodiment of the invention;

      Figure 19 shows an authorization request as completed by a subscriber and sent to the source system in a preferred embodiment of the invention;

25       Figure 19A shows an example of how source transmits acceptance or rejection of authorization back to the subscriber in a preferred embodiment of the invention;

      Figure 20 shows an example of a deposition report completed and sent by a subscriber to the claims processor in a preferred embodiment of the invention;

30       Figure 21 shows a request for a pre-trial report sent by a claims processor to a subscriber available within the source system in a preferred embodiment of the invention;

      Figure 21A shows how the pre-trial report is transmitted back to the

- 9 -

claims processor by the subscriber in a preferred embodiment of the invention; and

Figure 22 shows an example of the communications management database within both the source and subscriber systems in a preferred embodiment of the invention.

## 5 DETAILED DESCRIPTION OF THE INVENTION

The present invention provides an automated data processing system adapted to network providers of legal services such as law firms, clients, and other necessary parties such as court reporters, investigators, expert witnesses, etc. to enhance communication between these entities and to improve workflow and efficiency.

10 While the present invention will be described herein by reference to a litigation management system for law firms (hereinafter "subscribers") and the insurance companies which process a substantial volume of claims filed against insured individuals, it should be understood that the invention may be used to provide caseload management between legal service providers, clients other than insurers, and a variety  
15 of legal support vendors, informational sources, and other third party users of the system. Thus a detailed description of one embodiment of the invention is described in connection with Figure 1-22 wherein like reference numerals refer to like elements in the respective drawings.

An exemplary network provided by a litigation management system  
20 according to the invention is shown in Figure 1. Each insurer provides an insurer server 2 that is interconnected to a central server system (hereinafter "central server") 4 via communication links 3. The central server 4 functions as a central hub such that all information transported in the network passes through the hub. As shown in Figure 1, the central server 4 also interfaces with a plurality of subscriber servers 6 via  
25 communication links 5. Each subscriber server is associated with one particular subscriber. Each of the subscriber servers 6 may be coupled to one or more terminals or workstations 11 (only a single terminal is generally designated in the figure). Similarly each of the insurer servers 2 and the central server 4 is connected to one or more terminals or server/workstations 9 and 13 respectively. Thus, the network  
30 effectively provides communications between a plurality of subscribers and a number of insurers through the central hub. While only two insurer servers and three

- 10 -

subscriber servers are shown, it should be understood that any number of either may be supported by the network within practical limitations of the network hardware and software.

The hardware and software required to support the invention are substantially unrestricted. The servers 2, 4, 6 may be supported by a variety of platforms such as X86 Intel platforms including WINDOWS/NT, OS/2 and NOVELL NETWARE and UNIX platforms including SUN SPARC, IBM R/6000 and HP PA-Risc, to name a few examples. The communication links 3, 5, may be implemented via standard telephone lines and interconnected via local area networks (LANs), wide area networks (WANs), or Internet access links. However, other forms of communications could also be used and the invention is not intended to be so limited to the examples set forth herein. Server/workstations 9, 11, 13, are also essentially application independent in that they may be configured for various platforms such as WINDOWS 3.1, WINDOWS 95, WINDOWS/NT, OS/2 and MACOS.

To provide such a platform independent system, LOTUS NOTES which is available from Lotus Development Corp. is preferably used to implement the present invention. However, other database and network software applications could similarly be used.

In a preferred embodiment, one or more affiliated users having user workstation 8 may also be included in the network through a communication link 7 to the central server 4. It should be understood that each user may alternatively provide a server with one or more terminals or workstations connected thereto. The users may be legal support vendors or other third party users of the litigation management system (i.e., travel agents).

In a further preferred embodiment, the central server 4 and terminal 13 are duplicated to provide system redundancy. As shown in Figure 1 a central back-up server 10 and a terminal or workstation 14 coupled thereto are connected to the central server 4 with its terminals or workstations 13 through a high speed interconnection 12, such as ISDN so that all of the information stored on the central server 4 may be duplicated and stored on the central back-up server 10. Preferably, the central back-up server(s) and workstations are physically located at a different facility than the central server. In the event of a failure at the central hub, communications can be promptly



- 11 -

reestablished through the central back-up server.

Figure 2 is a block diagram showing the legal claims processing system according to the invention including its functional and database components and the interfaces between those components. A router 22, selector 24 and a subscriber database are preferably provided by the central hub system 20. Each subscriber has a subscriber system 30 which transmits subscriber information via links 27 to the central hub system 20. Router 22 receives subscriber information transmitted from any of the subscriber systems and routes the transmission to the intended source system 40.

Because an insurer is a source of new claims, it is referred to as a "source." Each insurer or source has a source system 40 connected to the central hub through a link 28 over which subscriber information may be routed from router 22. In a similar manner, source information which is described in detail below is generated by the source systems and transmitted to the router over links 28. The router 22 operates to transmit the source information to a designated subscriber system via the appropriate link 27.

Each subscriber system functions as an interface between an internal office case administration system 32 and the legal claims processing system.

Conventional internal office case administration system may store information relating to each case being handled in the office, client information and staff assignments.

Moreover, such systems may also be capable of tracking the status of calls, appointments, documents, litigation activities and client billing. One such system is INTERTRAC FOR LAW which was developed and is marketed by Computer works, Inc. Albany, NY.

The subscriber systems 30 each preferably include an insurance claims database 34, a communications management database 36, and a billing controller 38. The source systems 40 each preferably include a new claims database 42, a communications management database 44, and a billing status database 46. The functionality of each of the components shown and the use of each database will become apparent by reference to Figures 3-22 and the following description which accompanies the figures.

Figure 3 shows a flow diagram of the overall process carried out in accordance with the invention. A claims processor at an insurer receives a new claim

- 12 -

50 and initiates a new case authorization process at step 52. Once a subscriber is selected and approved by the insurer as is described in detail below in connection with the description of the new case authorization process, the central hub system establishes an authorized link between the source system and the selected subscriber s  
5 subscriber system at step 54.

During on-going litigation, the subscriber may be required to seek approval from the insurer for certain activities such as taking various depositions, retaining an expert witness, attending a settlement conference, etc. The selected subscriber may transmit a request and receive approval through the activity  
10 authorization process shown at step 56. Once an approved activity has been completed, the billing controller may be used to control the transmission of requests for payment of services associated with the activity as shown at step 58.

In addition, during an on-going litigation the claims processor may review the status of the insurer s cases or status of the billing for cases handled for that  
15 insurer as shown at 62 and described in more detail below.

In a preferred embodiment, a record keeping utility may be provided to store any of the case billing, activity, case disposition, etc. information for a given case after its final disposition so that information may be purged from the system s working databases and used subsequently for analysis, statistics, and educational  
20 purposes.

Figures 4A and 4B show a more detailed flow diagram of the steps carried out in connection with the new case authorization process in accordance with the invention. When a new claim is submitted to the insurer, information relating to the claim is entered into the source insurance claims database at step 70. The source  
25 system transmits at least some of the information that is entered as new claim information to the central hub system at step 72. The new claims information may be processed by the central to access a list of possible subscribers which are transmitted to the source system and displayed by the claims adjuster. The selector may be used in this process for identifying possible subscribers based on criteria specified by the  
30 source, e.g. particular subscribers that the source likes to work with. The claims adjuster may then select one of the subscribers from the list and transmit the selection to the central hub. The router establishes an initial communications link between the

- 13 -

selected subscriber and the source transmitting the new claim information at step 78. Upon doing so, the router forwards at least some of the new claim information to the subscriber system of the selected subscriber.

In an alternative embodiment, the selection of the subscriber may be made automatically by the litigation management system. In this embodiment, the new claims information contains at least certain predetermined fields with information that may be extracted by the router and provided to the selector at step 74. The subscriber database contains information relating to each of the subscribers in the network such as identification and address. The selector searches the subscriber database at step 76 to select one of the subscribers based on the extracted information. The selector then outputs the identity of the selected subscriber to the router.

The selected subscriber system receives the information transmitted by the router and stores it in the subscriber new cases database at step 80. The subscriber may perform an internal conflict check at step 82 and enter a new case budget proposal at step 86 if no conflict exists. If a conflict exists as determined at step 82, a conflict resolution procedure is initiated at step 84 so that a new subscriber may be selected at step 76. In a preferred embodiment, the subscriber new cases database is purged once a conflict is identified and prior to initiation of the conflict resolution procedure to select a different subscriber. The selection of a subscriber at step 76 and the conflict resolution procedure shown at step 84 are described in more detail below.

The new case budget proposal includes budget proposal data indicative of the strategy for litigating the claim and the anticipated costs associated with that strategy. The new case budget is transmitted from the selected subscriber's subscriber system through the router and ultimately to the source system that transmitted the new claim information as shown at step 88. The budget proposal data is stored in the source new claims database at step 91 so that it can be reviewed by the claims processor or insurer. If the new case budget proposal is acceptable as determined at step 90, an acceptance is transmitted back to the selected subscriber at step 96. The central hub system then may establish an authorized link between the selected subscriber and the source at step 98. Upon receipt of the acceptance, the selected subscriber transfers the new case information stored in the subscriber new cases database to the internal office case administration system associated with the selected

- 14 -

subscriber at step 100.

If the insurer does not accept the new case budget proposal, then the insurer and subscriber may negotiate or the new claim information may be purged from the subscriber's new cases database. Alternatively, the insurer may ask for additional  
5 information or modification of the new case budget proposal as shown at step 92 and 102 until acceptance is obtained.

Figure 5 shows a detailed flow diagram of the activity authorization process in accordance with the invention. Certain litigation-related activities may be designated as requiring authorization from the insurer prior to performance of such  
10 activities. For example, authorization might be required before a subscriber deposes an expert witness. If such authorization is required, the litigation management system in accordance with the invention provides an automated system for seeking and receiving approval for such activities. In addition, the automated authorization can be used in connection with an automated billing control function. As is described below,  
15 the billing control function disables any request for payment from being submitted until authorization for the services, i.e., the activity, has been received.

As shown in Figure 5, a subscriber may request authorization by entering activity related information into the subscriber new case database at step 110. The activity information is then submitted with a request for authorization at step 112.  
20 The source communications management database is then updated with the request for authorization and the related activity information at step 114. A claims processor at the insurer may then review the request and information and decide whether or not to approve the activity at step 116. If the claims processor approves the activity, the approval is entered through the source communications management database and  
25 submitted at step 118. The subscriber communications management database is then updated to reflect the approval at step 119 and the billing controller may likewise be notified of the approval at step 120.

If the claims processor requires more information to evaluate the request for authorization at steps 116 and 122, the claims processor may specify the additional  
30 information needed by entering the information into the source communications management database and submitting the request for more information at step 124. The subscriber communications management database is then updated to reflect the

- 15 -

additional information required at step 126. The subscriber may respond by repeating steps 110 and 112 with the requested activity information.

If the claims processor denies the request at steps 116 and 122, the claims processor enters the denial response into the source communications management database and submits it at step 128. The subscriber communications management database is then updated at step 129 to reflect that authorization for the designated activity has been denied. If the request for authorization is denied the subscriber may appeal the denial at step 125 by effectively resending the request with a modified case budget proposal. In a preferred embodiment, the billing controller may be notified that the request was denied as shown at step 120.

As discussed in connection with Figures 4A and 4B, the central hub system is preferably configured to select an appropriate subscriber or a multiplicity of possible subscribers to handle a new claim filed against a connected insurer. In one preferred embodiment, a primary and alternate subscriber per specified geographic region, e.g., based on judicial jurisdiction, may be networked to the litigation management system. In such an embodiment, a field may be provided in the insurance claims database to indicate in which jurisdiction the claim has been filed. The central hub system preferably has access to the information contained in this field so that the information may be extracted. In this embodiment, the subscriber database may list each primary and alternate subscriber by jurisdiction or geographic region. The selector at the central hub shown in Figure 2, may then search the subscriber database to identify the primary subscriber in the jurisdiction identified in the new claim information transmitted from a source system. The central hub system then transmits the new claim information to the primary subscriber. In a more preferred embodiment, however, the central hub identifies each connected subscriber within the judicial district and transmits a list of identified subscribers to the source from which the new claim information originated for the purpose so that a claims processor may select one of the identified subscribers.

If the first selected subscriber has a conflict as discussed above or if the insurer is unable to approve the first selected subscriber's case budget proposal, another subscriber in the same jurisdiction may be selected by the claims processor or by the litigation management system. The alternate subscriber would follow the same

- 16 -

authorization process described above in connection with Figures 4A and 4B. It should be understood, that more than one alternate subscriber may be referenced to a particular jurisdiction to increase the probability of a successful authorization.

It should further be understood that subscribers could be selected based on numerous other criteria. If such other criteria are used, then the subscriber database would contain the networked subscribers referenced to the selection criteria. Consequently, the invention is not intended to be limited to the selection of the subscriber based on location.

Referring back to Figures 4A and 4B, it is also preferred to provide the insurers with a means for monitoring the insurers' cases handled by each of the subscribers. So long as the subscribers use an internal office case administration system that stores status and other information related to the cases handled by the subscriber, such information can be transferred to the source cases database so that the insurer has access to this information through the source system. It should be understood that the information may be transferred at regular programmed intervals, upon status changes or upon request.

Similarly, an insurer may wish to review the billing status as time to matters for that insurer accrue. So long as this information is maintained by the internal office case administration system used by the subscriber, the billing status information may be transferred to the source billing status database. Again it should be understood that the information may be transferred at regular programmed intervals, upon status changes or upon request.

A block diagram showing the billing control function residing in the subscriber system is shown in Figure 6. A request for payment 130 may be generated by the internal office case administration system. The request is preferably received by the billing controller 132. The billing controller may then check an activity approval database 134. The activity approval database may be incorporated in the subscriber Communications Management database or may be a separate database including only the activities that were approved or denied by the insurers. If the activity for which the request for payment has been generated was approved, then the billing controller may transmit the request for payment 136 to the source system. If the request for authorization for the activity for which payment is required had been

- 17 -

denied, the billing controller may hold the request for payment in a preferred embodiment and provide an indication 138 that the request for payment has held to the internal office case administration system. This may signal a billing discrepancy and permits staff at the subscriber to take whatever action is appropriate.

5           While the invention has been described in detail regarding the communication and procedures employed between subscriber systems and source systems, it should be understood that other user systems may communicate in a similar fashion. For example, after the taking of a deposition is approved, the activity information may be transferred through the central hub to a selected court reporter  
10   having a networked reporting system. In this example, the activity information might include, the name and address of the person to be deposed, the place of deposition, and the date and time of the deposition. The court reporting system could indicate the availability of its court reporters, and moreover, include the deposition testimony after the deposition is taken in fields relating to the case information. The deposition  
15   testimony text may be formatted based on network specifications.

          To better describe the new claim authorization process and the activity authorization process described above, the processes will again be described in connection with examples of the user interfaces provided to carry out these procedures. Figure 7 shows an example of the main menu that might be displayed when logging  
20   into the subscriber system. A number of buttons are shown, however, only the Insurance Claims button 200 and the Communications Management button 202 are described herein in connection with the invention. Many of the other buttons shown are provided by an internal office case administration system. Thus, a similar menu is preferably displayed by the source system that may contain internal office  
25   administration buttons for the source, but they are separate and distinct from the subscriber's internal office administration system.

          Selecting the Insurance Claims button 200 from the main menu from the source system preferably brings up the insurance claims database user interface. Figure 7A shows an example of an initial screen displayed in connection with the  
30   insurance claims database. Each claim currently entered in the insurance claims database is preferably listed in selection area 204. A single claim can be selected to display the information stored in the database or new claim information may be entered

- 18 -

by clicking on the new claim button 212.

A claim may be selected, for example claim number C0011 in Figure 7A and then opened by clicking on the open designator to bring up the claims interface with the information stored pertaining to the selected claim. An example of a claim interface is shown in Figure 8. The components of the interface will change depending on the type of claim, *i.e.*, a product liability claim will preferably employ a product liability screen and a workers' compensation claim will preferably employ a workers' compensation screen. The interface shown in Figure 8 is shown in PREVIEW mode which allow the viewer to review the data. As shown, the claims processor is provided with a number of fields 208 that may be selected to open a pop-up box or entry interface 206, shown in Figure 8A. For example, in Figure 8A, the policy information field has been selected and the entry interface associated therewith has been opened. The entry interface shows the data input from the claims processor relating to policy information, such as limits of insurance, deductibles and endorsements, etc. Returning to Figure 8, each of the fields 208 preferably has an entry interface for receiving and storing the data input from either the claims processor or subscriber.

If the user wishes to edit the data, the "Edit" function 209 may be selected from the menu bar to bring up an edit interface screen. An example of a claim information edit interface screen is shown in Figure 9. Once the editing is complete, the claims processor clicks on the Save button 231 to retain the edited information. If the user wishes to delete the edited material, the Cancel button 232 is clicked.

A plurality of buttons 214 are shown in Figure 8 to, for example, request an action as shown in Figure 9A by clicking on the "Request" button, to assign a legal service provider as shown in Figure 9B by clicking on the "Assign" button, or to add additional notes as shown in Figure 9C by clicking on the "Notes" button.

The entry interface shown in Figure 8 preferably serves as the Conflict Check screen. The Conflict Check screen allows the claims processor to check with the selected subscriber or other player (*i.e.*, claims processor, investigator, etc.) for any conflict of interest within that subscriber/player that might prevent assignment of the claim. The Conflict Check screen is the same for all types of claims, *i.e.*,



- 19 -

workers' compensation, products liability, auto, etc. The last action field 220 on the Conflict Check screen in Figure 8 preferably indicates the last completed action by any player connected to the litigation management system.

Use of the Conflict Check screen signified by interface 210 in Figure 8 is preferably made optional for the claims processor. In a preferred embodiment of the invention, the claims processor completes a conflict check by entering the appropriate information in claims interface 210, assigning a law firm in connection with Figure 9A, and transmitting just the information entered in interface 210 to the selected subscriber. The system is designed to transmit the conflict check information only when the claims processor chooses this option. The claims processor upon receipt of an approval from the subscriber preferably completes the remaining fields 208 and then transmits that information to the selected subscriber.

In a preferred embodiment, a new claim may be added to the litigation management system. As mentioned above, the claims processor clicks on the new claim button 212, shown in Figure 7A. A screen is then preferably displayed with options for selecting a claim type as shown in Figure 12. In a more preferred embodiment, a general claim type may be highlighted as shown in Figure 13, whereupon the OK button is selected to proceed to more specific claim types as shown in Figure 14. After the claim type selection has been made, the claims processor preferably proceeds to fill in the information required in the claims interface 210 and relevant fields 208 as shown in Figures 8, 10, and 11. For example, a workers' compensation claim preferably employs a workers' compensation screen and additional screens such as one for the employer, the employee, relating to the occurrence of the accident or injury, one for contacts or witnesses, and one for treatment information (see Figure 11).

After the sub-fields of entry interface 208 have been completed as partially shown in Figure 15A, the claims processor then preferably clicks on the assign button 221 in Figure 15 to assign the selected subscriber. An exemplary listing of potential subscribers 224 are shown in Figure 15B. The source system then preferably displays the assignment of the claim to the selected subscriber as shown in Figure 15C.

Referring back to Figure 9A, as the claim adjudication process

- 20 -

progresses, the claims processor may select options from the list shown. If an investigation, for example, is needed to be conducted by an outside adjuster or investigator, the claims adjuster selects the "investigation" option and clicks on the OK button. That action preferably brings up a listing of the possible investigative  
5 companies from a listing in the central hub database similar to the subscriber listing shown in Figure 9B. Preferably, the subscriber database shown in figure 2 stores information related to each of the systems intended users. Upon selection of a company, Figure 16 will appear and the claims processor completes instructions in the Requestor Comments section. The claims processor sends the Investigation Request  
10 through the central server system to the Investigator. The selected investigator receives the request as shown in Figure 16. When the investigation is completed, the investigator fills out the report and clicks on the Return button 225 to send it back to the claims processor as shown in Figure 16A.

If the claims processor desires a status report on the claim from the  
15 subscriber, the claims processor selects the "Status Report" shown in Figure 9A and clicks on the OK button. The request goes to the subscriber as shown in Figure 17, which shows the expanded pre-designed categories. After the subscriber completes the report by filling in information in each pre-designed category, the Return button 226 is clicked as shown in Figure 17A, which shows the categories in a collapsed state.

20 If the subscriber requires authorization from the claims processor to perform a task, the subscriber clicks on the request button in the cases database, which brings up Figure 18. The subscriber clicks on the Authorization button as shown in Figure 18. A pop-up box entitled Requester Comments is then preferably brought up by the system as shown in Figure 18A. The subscriber preferably describes the  
25 specific authority request in the box and submits it to the user by clicking the OK button. The claims processor reviews the request as shown in Figure 19 and clicks on the Edit button 227. The screen changes to allow the claims processor to either Accept or Reject the request, with or without comment as shown in Figure 19A. The claims processor then clicks on the Return button 228 in Figure 19A to transmit the  
30 acceptance or rejection back to the subscriber.

The subscriber can report to the source on the results of the deposition by clicking on the Deposition Report button shown in Figure 18. The subscriber

- 21 -

completes the report as shown in Figure 20 and clicks on the Return button. The report is sent on to the source.

The claims processor may request a Pre-Trial Report from the subscriber by selecting "Pre-Trial Report" from the option list shown in Figure 9A and then clicking on the OK button. An example of a pre-trial report is shown in Figure 21 and is then transmitted to the subscriber. The subscriber is notified by assessing the Communications Management database of the request and completes the information in the pre-designed categories, then clicks on the Return button as shown in Figure 21A.

The Communications Management Database is designed to maintain the various Request Types when they are sent by the source or subscriber and are awaiting action. An example of the Communication Management screen is shown in Figure 22 and the Request Types are shown in field 229. To view a particular Request Type, the user highlights the Request 230, and clicks on it. Figure 19 shows the displayed Request. In a preferred embodiment, this screen provides the same information at both the source system and the subscriber system. Once the request has been acted upon and is completed, the Request Type will then be transferred and made part of the source claim and the subscriber case databases.

Examples of specific database structure and programs that may be used to implement the invention are included in Appendix A attached hereto. Appendix A is a printout of an exemplary LOTUSNOTES synopsis used to implement a preferred embodiment of the invention.

While the invention has been described and illustrated with reference to specific embodiments, those skilled in the art will recognize that modification and variations may be made without departing from the principles of the invention as described hereinabove and set forth in the following claims..

**Insurance Claims File Synopsis**

Lotus Notes Database Synopsis - Generated at 01:28:52 PM on 04/11/97

**Form Information:****Form:**

Last Modification:

Type:

Window Title Formula:

Include in Compose Menu:

Include in Query by Form:

Default Database Form:

Automatically Refresh Fields:

Mail New Documents When Saving:

Store Form In Documents:

Inherit Default Field Values:

Updates Become Responses:

Retain Prior Versions As Responses:

Activate Objects When Composing:

Activate Objects When Editing:

Activate Objects When Reading:

Document Encryption Keys:

Composed Documents May Be Read By:

Form May Be Composed By:

Field:

Datatype:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

Field:

Datatype:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

Field:

Datatype:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Access\_Control\_Form

12/16/96 10:29:13 AM

Document

SELECT "Document Access  
Control"

Yes

Yes

No

No

No

No

No

No

No

No

No

No

[None Assigned]

All Users

All Users

Document\_Author

Author Names

Comma

Comma

[Not Assigned]

Computed when composed

No

Disabled

No

--

Document\_Readers

Reader Names

Comma, Semicolon, New Line

New Line

[Not Assigned]

Computed when composed

No

Disabled

No

--

Document\_Editors

Author Names

Comma, Semicolon, New Line

New Line

[Not Assigned]

Computed when composed

No

Disabled

- 23 -

Update Requires Editor Access:	No
Formula:	-
Field:	Author
Datatype:	Author Names
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	-
Field:	Document_Managers
Datatype:	Author Names
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	-
Form:	Automobile
Last Modification:	12/15/98 12:59:15 PM
Type:	Document
Window Title Formula:	SELECT "Automobile"
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled

- 24 -

Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled

- 25 -

Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No

Help Description: - 26 -

Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

The number of times that the document has been modified  
Computed

No

Disabled

No

@If(@IsNewDoc; 0;

TimesModified != "";

TimesModified +

@IsDocBeingSaved; 0);

PastAuthors

Text

Semicolon

Semicolon

This field will track the past authors

Computed

No

Disabled

No

@V2If(@IsDocBeingSaved;

@V2If(TimesModified <= 0;

@ProperCase(@Name([CN];

@V3UserName)); PastAuthors :

@Name([CN];

@V3UserName)); PastAuthors)

PastEditDates

Text

Semicolon

Semicolon

This field will track the past edit dates

Computed

No

Disabled

No

@V2If(@IsDocBeingSaved;

@V2If(TimesModified <= 0;

@Text(@Now); PastEditDates :

@Text(@Now)); PastEditDates)

Author

Text

[Not Assigned]

Computed when composed

No

Disabled

No

@ProperCase(@Name([CN];

@V3UserName))

Created

Time

04/11/97 01:28:53 PM

[Not Assigned]

Computed when composed

No

Disabled

Field:

Datatype:  
Input Multi-Value Separator(s):  
Display Multi-Value Separator:  
Help Description:

Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Input Multi-Value Separator(s):  
Display Multi-Value Separator:  
Help Description:

Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Time Format:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:



Update Requires Editor Access: Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:	- 27 -	No @Now E1 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 0;y := x - TimesModified;@V2If(@IsNew Doc; " "; @V2If(y >= 0; @Text(x - 1) + " "; " ") A1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @ProperCase(@Subset(@Sub set(PastAuthors; -1); 1))) D1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); " ") E2 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + " "; " ") A2 Text [Not Assigned] Computed for display No Disabled
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		No @Now E1 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 0;y := x - TimesModified;@V2If(@IsNew Doc; " "; @V2If(y >= 0; @Text(x - 1) + " "; " ") A1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @ProperCase(@Subset(@Sub set(PastAuthors; -1); 1))) D1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); " ") E2 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + " "; " ") A2 Text [Not Assigned] Computed for display No Disabled
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		No @Now E1 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 0;y := x - TimesModified;@V2If(@IsNew Doc; " "; @V2If(y >= 0; @Text(x - 1) + " "; " ") A1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @ProperCase(@Subset(@Sub set(PastAuthors; -1); 1))) D1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); " ") E2 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + " "; " ") A2 Text [Not Assigned] Computed for display No Disabled
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		No @Now E1 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 0;y := x - TimesModified;@V2If(@IsNew Doc; " "; @V2If(y >= 0; @Text(x - 1) + " "; " ") A1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @ProperCase(@Subset(@Sub set(PastAuthors; -1); 1))) D1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); " ") E2 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + " "; " ") A2 Text [Not Assigned] Computed for display No Disabled
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption:		No @Now E1 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 0;y := x - TimesModified;@V2If(@IsNew Doc; " "; @V2If(y >= 0; @Text(x - 1) + " "; " ") A1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @ProperCase(@Subset(@Sub set(PastAuthors; -1); 1))) D1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); " ") E2 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + " "; " ") A2 Text [Not Assigned] Computed for display No Disabled

- 28 -

Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:

No

@V2If(@IsNewDoc; "");  
@V2If(TimesModified >= 1;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -2); 1)); " ")

D2

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; "");  
@V2If(TimesModified >= 1;  
@Subset(@Subset(PastEditDat  
es; -2); 1); " ")

E3

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=  
0; DEFAULT TimesModified :=  
0; X := @Elements(PastAuthors)  
- 2; @V2If(@IsNewDoc; "");  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ ". "; " ")

A3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; "");  
@V2If(TimesModified >= 2;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -3); 1)); " ")

D3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; "");  
@V2If(TimesModified >= 2;  
@Subset(@Subset(PastEditDat  
es; -3); 1); " ")

E4

Text

[Not Assigned]

Computed for display

No

Encryption: - 29 -  
Update Requires Editor Access:  
Formula:

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**

```

Disabled
No
DEFAULT PastAuthors :=
0;DEFAULT TimesModified :=
0;X := @Elements(PastAuthors)
- 3;@V2If(@IsNewDoc, " ",
@V2If(X - 1 >= 0, @Text(x - 1)
+ " ", " "))
A4
Text
[Not Assigned]
Computed for display
No
Disabled
No
@V2If(@IsNewDoc, " ";
@V2If(TimesModified >= 3;
@ProperCase(@Subset(@Sub
set(PastAuthors: -4); 1)); " "))
D4
Text
[Not Assigned]
Computed for display
No
Disabled
No
@V2If(@IsNewDoc, " ";
@V2If(TimesModified >= 3;
@Subset(@Subset(PastEditDat
as: -4); 1); " "))
E5
Text
[Not Assigned]
Computed for display
No
Disabled
No
DEFAULT PastAuthors :=
0;DEFAULT TimesModified :=
0;X := @Elements(PastAuthors)
- 4;@V2If(@IsNewDoc, " ";
@V2If(X - 1 >= 0, @Text(x - 1)
+ " ", " "))
A5
Text
[Not Assigned]
Computed for display
to
Disabled
to
@V2If(@IsNewDoc, " ";
@V2If(TimesModified >= 4;
@ProperCase(@Subset(@Sub
set(PastAuthors: -5); 1)); " "))
A5
Text

```

- 30 -

Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

[Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc: " " ;  
 @V2If(TimesModified >= 4;  
 @Subset(@Subset(PastEditDates; -5); 1); " ")

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Status  
 Text  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 "0"

Field:

Datatype:  
 Time Format:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Date\_Closed  
 Time  
 04/11/97 01:28:53 PM  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 ""

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Closed\_By  
 Text  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 ""

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

ID\_Claim  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

ID\_Case  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

ID\_Budget  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Contact\_Name

Field:

- 31 -

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:

Text  
 [Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 @If(LName != "" & FName !=  
 ""; LName + ", " + FName;  
 LName = ""; FName; LName)  
 Document\_Author  
 Author Names  
 Comma  
 Comma  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbNam  
 e; -1); "\");Database :=  
 @If(path = "";  
 "ITPLAYER.NSF"; path + "\" +  
 "ITPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 2);  
 Document\_Editors  
 Author Names

- 32 -

Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 --

Document\_Readers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 --

Document\_Managers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 e; -1); "\");Database :=  
 @If(path = "";  
 "TTPLAYER.NSF"; path + "\" +  
 "TTPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=

- 33 -

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```

@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
5);
Ins_Company
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"TIPLAYER.NSF"; path + "\ +
"TIPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]
Computed
No
Disabled

```

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:

Update Requires Editor Access:  
Formula:

- 34 -

## Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/in Section:  
Encryption:  
Update Requires Editor Access:  
Default Value Formula:

No  
@ProperCase(@Name([CN];  
@V3UserName));  
Ins\_Contact\_Phone  
Text  
[Not Assigned]  
Editable  
No  
Disabled  
No  
DBName :=  
@Text(@DbName);Server :=  
@Subset(DBName; 1);Path :=  
@LeftBack(@Subset(@DbName;  
e; -1); "\");Database :=  
@If(path = "";  
"TTPLAYER.NSF"; path + "\" +  
"TTPLAYER.NSF");ClassCache  
:= "Notes" : "NoCache";View1 :=  
"Remote\_View";Key1 :=  
@Name([Abbreviate];  
@V3UserName);View2 :=  
"Server\_View";Key2 :=  
@Name([O];  
@V3UserName);Hit1 :=  
@If(@IsError(@DbLookup(Class  
sCache; Server : Database;  
View1; Key1; 1)); "";  
@DbLookup(ClassCache;  
Server : Database; View1;  
Key1; 1));Hit2 :=  
@If(@IsError(@DbLookup(Class  
sCache; Server : Database;  
View2; Key2; 1)); "";  
@DbLookup(ClassCache;  
Server : Database; View2;  
Key2; 1));Direction := @If(Hit1  
!= ""; "Remote"; Hit2 != "";  
"Server"; "NoAccess");View :=  
@If(Direction = "Remote";  
View1; View2);Key :=  
@If(Direction = "Remote";  
Key1;  
Key2);@DbLookup(ClassCache  
; Server : Database; View; Key;  
"Phone");  
ScratchHist  
Text  
[Not Assigned]  
Computed when composed  
No  
Disabled  
No  
=

## Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/in Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

## Form:

## Environment



<p>             Last Modification: - 35 -              Type:              Window Title Formula:              Include in Compose Menu:              Include in Query by Form:              Default Database Form:              Automatically Refresh Fields:              Mail New Documents When Saving:              Store Form In Documents:              Inherit Default Field Values:              Updates Become Responses:              Retain Prior Versions As Responses:              Activate Objects When Composing:              Activate Objects When Editing:              Activate Objects When Reading:              Document Encryption Keys:              Composed Documents May Be Read By:              Form May Be Composed By:              Field:                Datatype:                Help Description:                Field Type:                Sign When Mailing/In Section:                Encryption:                Update Requires Editor Access:                Default Value Formula:              Field:                Datatype:                Help Description:                Field Type:                Sign When Mailing/In Section:                Encryption:                Update Requires Editor Access:                Default Value Formula:              Field:                Datatype:                Help Description:                Field Type:                Sign When Mailing/In Section:                Encryption:                Update Requires Editor Access:                Default Value Formula:              Field:                Datatype:                Help Description:                Field Type:                Sign When Mailing/In Section:                Encryption:                Update Requires Editor Access:                Default Value Formula:              Field:                Datatype:                Help Description:                Field Type:                Sign When Mailing/In Section:                Encryption:                Update Requires Editor Access:                Default Value Formula:           </p>	<p>             12/15/96 12:59:59 PM              Document              SELECT "Environment"              No              Yes              No              No              No              No              No              No              No              No              No              No              [None Assigned]              All Users              All Users              Ins_Policy              Text              [Not Assigned]              Editable              No              Disabled              No              Policy              Ins_Policy_From              Text              [Not Assigned]              Editable              No              Disabled              No              Policy_Period_From              Ins_Policy_To              Text              [Not Assigned]              Editable              No              Disabled              No              Policy_Period_To              Ins_Claim_Number              Text              [Not Assigned]              Editable              No              Disabled              No              Claim              LName              Text              [Not Assigned]              Editable              No              Disabled           </p>
--	---

- 36 -

Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled

- 37 -

Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	The number of times that the document has been modified
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@If(@IsNewDoc; 0; TimesModified != "";
Field:	TimesModified +
Datatype:	@IsDocBeingSaved; 0);
Input Multi-Value Separator(s):	PastAuthors
Display Multi-Value Separator:	Text
Help Description:	Semicolon
Field Type:	Semicolon
Sign When Mailing/In Section:	This field will track the past authors
Encryption:	Computed
Update Requires Editor Access:	No
Formula:	Disabled
Field:	No
Datatype:	@V2If(@IsDocBeingSaved;
Input Multi-Value Separator(s):	@V2If(TimesModified <= 0;
Display Multi-Value Separator:	@ProperCase(@Name(CN);
Help Description:	@V3UserName)); PastAuthors :

- 38 -

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**

**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Time Format:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

@Name([CN];  
 @V3UserName)); PastAuthors)  
 PastEditDates  
 Text  
 Semicolon  
 Semicolon  
 This field will track the past edit  
 dates  
 Computed  
 No  
 Disabled  
 No  
 @V2If(@IsDocBeingSaved;  
 @V2If(TimesModified <= 0;  
 @Text(@Now); PastEditDates :  
 @Text(@Now)); PastEditDates)  
 Author  
 Text  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 @ProperCase(@Name([CN];  
 @V3UserName))  
 Created  
 Time  
 04/11/97 01:28:53 PM  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 @Now  
 E1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 0;y := x -  
 TimesModified;@V2If(@IsNew  
 Doc; " "; @V2If(y >= 0;  
 @Text(x - 1) + " "; " "))  
 A1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";

- 39 -

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**@ProperCase(@Subset(@Subset(PastAuthors; -1); 1)))**

D1

Text

[Not Assigned]

Computed for display

No

Disabled

No

**@V2If(@IsNewDoc; " ";****@V2If(TimesModified >= 0;****@Subset(@Subset(PastEditDates; -1); 1); " ")**

E2

Text

[Not Assigned]

Computed for display

No

Disabled

No

**DEFAULT PastAuthors :=****0;DEFAULT TimesModified :=****0;X := @Elements(PastAuthors)****- 1;@V2If(@IsNewDoc; " ";****@V2If(X - 1 >= 0; @Text(x - 1****+ " "; " ")**

A2

Text

[Not Assigned]

Computed for display

No

Disabled

No

**@V2If(@IsNewDoc; " ";****@V2If(TimesModified >= 1;****@ProperCase(@Subset(@Subset(PastAuthors; -2); 1)); " ")**

D2

Text

[Not Assigned]

Computed for display

No

Disabled

No

**@V2If(@IsNewDoc; " ";****@V2If(TimesModified >= 1;****@Subset(@Subset(PastEditDates; -2); 1); " ")**

E3

Text

[Not Assigned]

Computed for display

No

Disabled

No

**DEFAULT PastAuthors :=****Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

- 40 -

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:

0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 2;@V2If(@IsNewDoc; " ";  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " ")))

A3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ";  
 @V2If(TimesModified >= 2;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -3); 1)); " ")))

D3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ";  
 @V2If(TimesModified >= 2;  
 @Subset(@Subset(PastEditDat  
 es; -3); 1); " ")))

E4

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 3;@V2If(@IsNewDoc; " ";  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " ")))

A4

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ";  
 @V2If(TimesModified >= 3;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -4); 1)); " ")))

D4

Text

[Not Assigned]

Computed for display

No

- 41 -

Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " "; @V2If(TimesModified >= 3; @Subset(@Subset(PastEditDat es; -4); 1); " ")
Field:	E5
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 4;@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + " "; " ")
Field:	A5
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " "; @V2If(TimesModified >= 4; @ProperCase(@Subset(@Sub set(PastAuthors; -5); 1)); " ")
Field:	D5
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " "; @V2If(TimesModified >= 4; @Subset(@Subset(PastEditDat es; -5); 1); " ")
Field:	Status
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"0"
Field:	Date_Closed
Datatype:	Time
Time Format:	04/11/97 01:28:53 PM
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled

- 42 -

Update Requires Editor Access:	No
Formula:	=
Field:	Closed_By
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	=
Field:	ID_Claim
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Case
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Budget
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Contact_Name
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@If(LName != "" & FName != "" ; LName + " , " + FName ; LName = "" ; FName ; LName)
Field:	Document_Author
Datatype:	Author Names
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbName e; -1); "\");Database := @If(path = "" ;



- 43 -

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**  
**Field Type:**

```

TTPLAYER.NSF"; path + "\\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Clas
sCache; Server : Database;
View1; Key1; 1))); "";
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(Clas
sCache; Server : Database;
View2; Key2; 1))); "";
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
2);

```

Document\_Editors  
 Author Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 ""

Document\_Readers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 ""

Document\_Managers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed

- 44 -

Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 e; -1); "\");Database :=  
 @If(path = "";  
 "TTPLAYER.NSF"; path + "\" +  
 "TTPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 5);  
 Ins\_Company  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 e; -1); "\");Database :=  
 @If(path = "";  
 "TTPLAYER.NSF"; path + "\" +  
 "TTPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

- 45 -

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View1; Key1; 1))); "";
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View2; Key2; 1))); "";
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= "", "Remote"; Hit2 != "",
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]
Computed
No
Disabled
No
@ProperCase(@Name([CN];
@V3UserName));
Ins_Contact_Phone
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbNam
e; -1); "\");Database :=
@if(path = "",
"TTPLAYER.NSF"; path + "\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
```

- 46 -

<b>Field:</b>	@V3UserName);Hit1 := @If(@IsError(@DbLookup(ClassCache; Server : Database; View1; Key1; 1))); ""; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(ClassCache; Server : Database; View2; Key2; 1))); ""; @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @If(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess");View := @If(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache; Server : Database; View; Key; "Phone"); Scratchlist Text [Not Assigned] Computed when composed No Disabled No ""
<b>Form:</b>	Excess 12/15/98 01:01:11 PM Document SELECT "Excess" No Yes No No No No No No No No No No No [None Assigned] All Users All Users Ins_Policy Text [Not Assigned] Editable No Disabled
<b>Last Modification:</b>	
<b>Type:</b>	
<b>Window Title Formula:</b>	
<b>Include in Compose Menu:</b>	
<b>Include in Query by Form:</b>	
<b>Default Database Form:</b>	
<b>Automatically Refresh Fields:</b>	
<b>Mail New Documents When Saving:</b>	
<b>Store Form in Documents:</b>	
<b>Inherit Default Field Values:</b>	
<b>Updates Become Responses:</b>	
<b>Retain Prior Versions As Responses:</b>	
<b>Activate Objects When Composing:</b>	
<b>Activate Objects When Editing:</b>	
<b>Activate Objects When Reading:</b>	
<b>Document Encryption Keys:</b>	
<b>Composed Documents May Be Read By:</b>	
<b>Form May Be Composed By:</b>	
<b>Field:</b>	
<b>Datatype:</b>	
<b>Help Description:</b>	
<b>Field Type:</b>	
<b>Sign When Mailing/In Section:</b>	
<b>Encryption:</b>	

- 47 -

Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled

- 48 -

Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled

- 49 -

Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	The number of times that the document has been modified
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@If(@IsNewDoc; 0; TimesModified != ""; TimesModified + @IsDocBeingSaved; 0); PastAuthors
Field:	Text
Datatype:	Semicolon
Input Multi-Value Separator(s):	Semicolon
Display Multi-Value Separator:	This field will track the past authors
Help Description:	Computed
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	@V2If(@IsDocBeingSaved; @V2If(TimesModified <= 0; @ProperCase(@Name([CN]; @V3UserName)); PastAuthors : @Name([CN]; @V3UserName)); PastAuthors) PastEditDates
Formula:	Text
Field:	Semicolon
Datatype:	Semicolon
Input Multi-Value Separator(s):	This field will track the past edit dates
Display Multi-Value Separator:	Computed
Help Description:	No
Field Type:	Disabled
Sign When Mailing/In Section:	No
Encryption:	@V2If(@IsDocBeingSaved; @V2If(TimesModified <= 0; @Text(@Now); PastEditDates : @Text(@Now)); PastEditDates) Author
Update Requires Editor Access:	Text
Formula:	[Not Assigned]
Field:	Computed when composed
Datatype:	No
Help Description:	Disabled
Field Type:	No
Sign When Mailing/In Section:	@ProperCase(@Name([CN];
Encryption:	
Update Requires Editor Access:	
Formula:	

- 50 -

**Field:**

**Datatype:**  
**Time Format:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

@V3UserName))  
 Created  
 Time  
 04/11/97 01:28:53 PM  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 @Now  
 E1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 0;y := x -  
 TimesModified;@V2If(@IsNew  
 Doc; " "; @V2If(y >= 0;  
 @Text(x - 1) + " "; " "))  
 A1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -1); 1)))  
 D1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";  
 @V2If(TimesModified >= 0;  
 @Subset(@Subset(PastEditDat  
 es; -1); 1); " "))  
 E2  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 1;@V2If(@IsNewDoc; " ";



- 51 -

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

@V2If(X - 1 >= 0; @Text(x - 1)  
 + ". "; " ")

A2

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ";

@V2If(TimesModified &gt;= 1;

@ProperCase(@Subset(@Sub  
 set(PastAuthors; -2); 1)); " ")

D2

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ";

@V2If(TimesModified &gt;= 1;

@Subset(@Subset(PastEditDat  
 es; -2); 1); " ")

E3

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=

0; DEFAULT TimesModified :=

0; X := @Elements(PastAuthors)

- 2; @V2If(@IsNewDoc; " ";

@V2If(X - 1 >= 0; @Text(x - 1)  
 + ". "; " ")

A3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ";

@V2If(TimesModified &gt;= 2;

@ProperCase(@Subset(@Sub  
 set(PastAuthors; -3); 1)); " ")

D3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ";

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

- 52 -

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

@V2If(TimesModified >= 2;  
 @Subset(@Subset(PastEditDates; -3); 1); " ")  
 E4  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 3;@V2If(@IsNewDoc; " ";  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " "))

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

A4  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";  
 @V2If(TimesModified >= 3;  
 @ProperCase(@Subset(@Subset(PastAuthors; -4); 1)); " "))  
 D4

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";  
 @V2If(TimesModified >= 3;  
 @Subset(@Subset(PastEditDates; -4); 1); " "))  
 E5

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 4;@V2If(@IsNewDoc; " ";  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " "))

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:

A5  
 Text  
 [Not Assigned]  
 Computed for display  
 No

- 53 -

Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 4;
	@ProperCase(@Subset(@Sub
	set(PastAuthors; -5); 1)); " ")
Field:	D5
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 4;
	@Subset(@Subset(PastEditDat
	es; -5); 1); " ")
Field:	Status
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"0"
Field:	Date_Closed
Datatype:	Time
Time Format:	04/11/97 01:28:53 PM
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"
Field:	Closed_By
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"
Field:	ID_Claim
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"
Field:	ID_Case
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

- 54 -

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

**Field:**

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

ID\_Budget  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Contact\_Name  
 Text  
 [Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 @If(LName != "" & FName !=  
 ""; LName + ", " + FName;  
 LName = ""; FName; LName)  
 Document\_Author  
 Author Names  
 Comma  
 Comma  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbNam  
 e; -1); "\");Database :=  
 @If(path = "";  
 "TTPLAYER.NSF"; path + "\" +  
 "TTPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";

- 55 -

**Field:**

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

**Field:**

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

**Field:**

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

```
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
2);
Document_Editors
Author Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
No
=
Document_Readers
Reader Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
No
=
Document_Managers
Reader Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"TIPLAYER.NSF"; path + "\" +
"TIPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View1; Key1; 1))); "";
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1));Hit2 :=
```

- 56 -

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```

@if(@IsError(@DbLookup(ClassCache; Server : Database;
View2; Key2; 1))) ; "" ;
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1));Direction := @If(Hit1
!="" ; "Remote"; Hit2 != "" ;
"Server"; "NoAccess");View :=
@If(Direction = "Remote";
View1; View2);Key :=
@If(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
5);
Ins_Company
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "" ;
"TTPLAYER.NSF"; path + "\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" ; "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View1; Key1; 1))) ; "" ;
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1));Hit2 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View2; Key2; 1))) ; "" ;
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1));Direction := @If(Hit1
!="" ; "Remote"; Hit2 != "" ;
"Server"; "NoAccess");View :=
@If(Direction = "Remote";
View1; View2);Key :=
@If(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache

```

- 57 -

## Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

## Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Default Value Formula:

## Field:

Datatype:

```

: Server : Database; View, Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]
Computed
No
Disabled
No
@ProperCase(@Name([CN];
@V3UserName));
Ins_Contact_Phone
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbNam
e; -1); "\");Database :=
@if(path = "";
"ITPLAYER.NSF"; path + "\ +
"ITPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Clas
sCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(Clas
sCache; Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View, Key;
"Phone");
ScratchHist
Text

```

- 58 -

Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

[Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 --

**Form:**

Last Modification:  
 Type:  
 Include in Compose Menu:  
 Include in Query by Form:  
 Default Database Form:  
 Automatically Refresh Fields:  
 Mail New Documents When Saving:  
 Store Form In Documents:  
 Inherit Default Field Values:  
 Updates Become Responses:  
 Retain Prior Versions As Responses:  
 Activate Objects When Composing:  
 Activate Objects When Editing:  
 Activate Objects When Reading:  
 Document Encryption Keys:  
 Composed Documents May Be Read By:  
 Form May Be Composed By:  
 Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Field:  
 Datatype:  
 Number Format:  
 Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Field:  
 Datatype:

General Liability - Damages -  
 Shared  
 11/02/96 02:58:18 PM  
 Document  
 No  
 Yes  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 [None Assigned]  
 All Users  
 All Users  
 Property\_Description  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 --  
 Property\_Estimate  
 Number  
 Currency (2 Decimal Places)  
 No  
 No  
 No  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 --  
 Property\_Seen\_Location  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 --  
 Property\_Seen  
 Keywords



- 59 -

Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Property Seen?[Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Property_Seen_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Witness_Name
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Witness_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Witness_Phone
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Reported_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Date_Reported
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable

- 60 -

Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:  
 Field:  
   Datatype:  
   Input Multi-Value Separator(s):  
   Display Multi-Value Separator:  
   Help Description:  
   Field Type:  
   Keyword User Interface:  
   Allowable Keywords:  
   Sign When Mailing/In Section:  
   Encryption:  
   Update Requires Editor Access:  
   Default Value Formula:  
 Field:  
   Datatype:  
   Time Format:  
   Help Description:  
   Field Type:  
   Sign When Mailing/In Section:  
   Encryption:  
   Update Requires Editor Access:  
   Default Value Formula:

No  
 Disabled  
 No  
 --  
 Reinsurer\_Notified  
 Keywords  
 Comma  
 Comma  
 [Not Assigned]  
 Editable  
 Check Boxes  
 Excess/Reinsurer Notified?[Y  
 No  
 Disabled  
 No  
 --  
 Reinsurer\_Notified\_Date  
 Time  
 04/11/97  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 --

**Form:**

Last Modification:  
 Type:  
 Include in Compose Menu:  
 Include in Query by Form:  
 Default Database Form:  
 Automatically Refresh Fields:  
 Mail New Documents When Saving:  
 Store Form In Documents:  
 Inherit Default Field Values:  
 Updates Become Responses:  
 Retain Prior Versions As Responses:  
 Activate Objects When Composing:  
 Activate Objects When Editing:  
 Activate Objects When Reading:  
 Document Encryption Keys:  
 Composed Documents May Be Read By:  
 Form May Be Composed By:  
 Field:  
   Datatype:  
   Help Description:  
   Field Type:  
   Sign When Mailing/In Section:  
   Encryption:  
   Update Requires Editor Access:  
   Default Value Formula:  
 Field:  
   Datatype:  
   Time Format:

**General Liability - Details -**  
 Shared  
 11/03/96 01:40:59 PM  
 Document  
 No  
 Yes  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 [None Assigned]  
 All Users  
 All Users  
 Claimant  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 --  
 Loss\_Date  
 Time  
 04/11/97

- 61 -

Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Loss_Location
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Alleged_Damages
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Radio Buttons
Allowable Keywords:	Bodily Injury
	Property Damage
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Fatality
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Keyword User Interface:	Check Boxes
Allowable Keywords:	Fatality?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	--
Field:	Date_Of_Death
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claims_Facts
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claim_In_Suit
Datatype:	Keywords

- 62 -

Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Claim In Suit?[Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Date_Suit_Filed
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Date_Suit_Served
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Liability_Claimant_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_Insured_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled

- 63 -

Update Requires Editor Access:  
 Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

No  
 Curr\_Reserve\_Exp  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No

**Form:**

Last Modification:  
 Type:  
 Include In Compose Menu:  
 Include in Query by Form:  
 Default Database Form:  
 Automatically Refresh Fields:  
 Mail New Documents When Saving:  
 Store Form In Documents:  
 Inherit Default Field Values:  
 Updates Become Responses:  
 Retain Prior Versions As Responses:  
 Activate Objects When Composing:  
 Activate Objects When Editing:  
 Activate Objects When Reading:  
 Document Encryption Keys:  
 Composed Documents May Be Read By:  
 Form May Be Composed By:  
 Field:

General Liability - Incident -  
 Shared  
 11/03/96 01:40:13 PM  
 Document

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

No  
 Yes  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 [None Assigned]  
 All Users  
 All Users  
 Injury\_Type  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 -

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

O\_Cause  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 -

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Defense\_MD  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 -

Field:  
 Datatype:  
 Help Description:  
 Field Type:

Defense\_Expert  
 Text  
 [Not Assigned]  
 Editable

- 64 -

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Plaintiff_MD
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Plaintiff_Expert
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Disc_Int
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Interrogatories?[Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Disc_Req
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Request for Prod. of Doc.[Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Depositions
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Depositions Taken?[Y

- 65 -

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Case_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Plaintiff_Demand
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Defense_Offer
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Settlement_Value
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Mediation
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Mediation/Arbitration

- 66 -

Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:  
 Field:  
   Datatype:  
   Number Format:  
   Percentage (value \* 100)%:  
   Parentheses on Negative Numbers:  
   Punctuated at Thousands:  
   Help Description:  
   Field Type:  
   Sign When Mailing/In Section:  
   Encryption:  
   Update Requires Editor Access:  
 Field:  
   Datatype:  
   Number Format:  
   Percentage (value \* 100)%:  
   Parentheses on Negative Numbers:  
   Punctuated at Thousands:  
   Help Description:  
   Field Type:  
   Sign When Mailing/In Section:  
   Encryption:  
   Update Requires Editor Access:  
 Field:  
   Datatype:  
   Input Multi-Value Separator(s):  
   Display Multi-Value Separator:  
   Help Description:  
   Field Type:  
   Keyword User Interface:  
   Allowable Keywords:  
   Sign When Mailing/In Section:  
   Encryption:  
   Update Requires Editor Access:  
 Field:  
   Datatype:  
   Input Multi-Value Separator(s):  
   Display Multi-Value Separator:  
   Help Description:  
   Field Type:  
   Keyword User Interface:  
   Allowable Keywords:  
   Sign When Mailing/In Section:  
   Encryption:  
   Update Requires Editor Access:  
 Field:  
   Datatype:  
   Help Description:  
   Field Type:  
   Sign When Mailing/In Section:  
   Encryption:  
   Update Requires Editor Access:

Attempted?|Y  
 No  
 Disabled  
 No  
 --  
 Defense\_Pct  
 Number  
 General  
 Yes  
 No  
 No  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Plaintiff\_Pct  
 Number  
 General  
 Yes  
 No  
 No  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Medical\_Bills  
 Keywords  
 Comma  
 Comma  
 [Not Assigned]  
 Editable  
 Check Boxes  
 Medical Bills?|Y  
 No  
 Disabled  
 No  
 Lost\_Wages  
 Keywords  
 Comma  
 Comma  
 [Not Assigned]  
 Editable  
 Check Boxes  
 Lost Wages?|Y  
 No  
 Disabled  
 No  
 Out\_Of\_Work\_From  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No



- 67 -

Default Value Formula:	--
Field:	Out_Of_Work_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	WC_Eligible
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Eligible for WC?Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	WC_Paid
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	WC_Medical
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	WC_Indemnity
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Form:	General Liability - Policy -
Last Modification:	Shared
Type:	11/01/96 04:36:25 PM
Include in Compose Menu:	Document
Include in Query by Form:	No
Default Database Form:	Yes
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No

- 68 -

Activate Objects When Composing:

Activate Objects When Editing:

Activate Objects When Reading:

Document Encryption Keys:

Composed Documents May Be Read By:

Form May Be Composed By:

Field:

Datatype:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

Field Type:

Keyword User Interface:

Allowable Keywords:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Default Value Formula:

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Default Value Formula:

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Default Value Formula:

Field:

Datatype:

Number Format:

Percentage (value \* 100)%:

Parentheses on Negative Numbers:

Punctuated at Thousands:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Default Value Formula:

Field:

Datatype:

Number Format:

Percentage (value \* 100)%:

Parentheses on Negative Numbers:

Punctuated at Thousands:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

No

No

No

[None Assigned]

All Users

All Users -

Claims\_Made

Keywords

Comma

Comma

[Not Assigned]

Editable

Check Boxes

Claims Made?[Y

No

Disabled

No

Claims\_Made

Retro

Text

[Not Assigned]

Editable

No

Disabled

No

Retro\_Date

PL\_Ext\_Period

Text

[Not Assigned]

Editable

No

Disabled

No

PL\_Ext\_Period

PL\_Agg\_Limit

Number

Currency (2 Decimal Places)

No

No

No

[Not Assigned]

Editable

No

Disabled

No

PL\_Aggregate\_Limit

PL\_Prod\_Limit

Number

Currency (2 Decimal Places)

No

No

No

[Not Assigned]

Editable

No

Disabled

- 69 -

Update Requires Editor Access:	No
Default Value Formula:	PL_Prod_Limit
Field:	PL_Personal_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Personal_Limit
Field:	PL_Each_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Each_Limit
Field:	PL_Fire_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Fire_Limit
Field:	PL_Medical_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Medical_Limit
Field:	DED_Per
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No

- 70 -

Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Per
Field:	DED_Aggregate
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Aggregate
Field:	DED_Retained
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Retained
Field:	Occurrence_Made
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Occurrence Made?Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Endorsements
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Endorsements
Form:	General Liability Completed
Form Alias:	Operations
Last Modification:	GL_Complete
Type:	12/15/96 01:02:41 PM
	Document

- 71 -

Window Title Formula:	SELECT *General Liability
Include in Compose Menu:	Claim - Completed Operations"
Include in Query by Form:	No
Default Database Form:	Yes
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form in Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

- 72 -

Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

- 73 -

Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	The number of times that the document has been modified
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@If(@IsNewDoc; 0; TimesModified != "";
	TimesModified +
	@IsDocBeingSaved; 0);
	PastAuthors
	Text
	Semicolon
	Semicolon
	This field will track the past authors
	Computed
	No
	Disabled
	No
	@V2If(@IsDocBeingSaved;
	@V2If(TimesModified <= 0;
	@ProperCase(@Name([CN];
	@V3UserName)); PastAuthors :
	@Name([CN];
Field:	
Datatype:	
Input Multi-Value Separator(s):	
Display Multi-Value Separator:	
Help Description:	
Field Type:	
Sign When Mailing/In Section:	
Encryption:	
Update Requires Editor Access:	
Formula:	

- 74 -

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**

**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Time Format:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

@V3UserName)); PastAuthors)  
 PastEditDates  
 Text  
 Semicolon  
 Semicolon  
 This field will track the past edit  
 dates  
 Computed  
 No  
 Disabled  
 No  
 @V2If(@IsDocBeingSaved;  
 @V2If(TimesModified <= 0;  
 @Text(@Now); PastEditDates :  
 @Text(@Now)); PastEditDates)  
 Author  
 Text  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 @ProperCase(@Name(CN);  
 @V3UserName))  
 Created  
 Time  
 04/11/97 01:28:54 PM  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 @Now  
 E1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 0;y := x -  
 TimesModified;@V2If(@IsNew  
 Doc; "": @V2If(y >= 0;  
 @Text(x - 1) + " "; " ")  
 A1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; "":  
 @ProperCase(@Subset(@Sub



- 75 -

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

set(PastAuthors; -1); 1)))

D1

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ");

@V2If(TimesModified &gt;= 0;

@Subset(@Subset(PastEditDat  
es; -1); 1); " ")

E2

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=

0;DEFAULT TimesModified :=

0;X := @Elements(PastAuthors)

- 1;@V2If(@IsNewDoc; " ");

@V2If(X - 1 &gt;= 0; @Text(x - 1)

+ " "; " ")

A2

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ");

@V2If(TimesModified &gt;= 1;

@ProperCase(@Subset(@Sub  
set(PastAuthors; -2); 1)); " ")

D2

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ");

@V2If(TimesModified &gt;= 1;

@Subset(@Subset(PastEditDat  
es; -2); 1); " ")

E3

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=

0;DEFAULT TimesModified :=

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

- 76 -

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

0;X := @Elements(PastAuthors)  
 - 2;@V2If(@IsNewDoc; " ");  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " ")

A3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ");

@V2If(TimesModified &gt;= 2;

@ProperCase(@Subset(@Sub  
 set(PastAuthors; -3); 1)); " ")

D3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ");

@V2If(TimesModified &gt;= 2;

@Subset(@Subset(PastEditDat  
 es; -3); 1); " ")

E4

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=

0;DEFAULT TimesModified :=

0;X := @Elements(PastAuthors)

- 3;@V2If(@IsNewDoc; " ");

@V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " ")

A4

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ");

@V2If(TimesModified &gt;= 3;

@ProperCase(@Subset(@Sub  
 set(PastAuthors; -4); 1)); " ")

D4

Text

[Not Assigned]

Computed for display

No

Disabled

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:

- 77 -

Update Requires Editor Access:

Formula:

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

Field:

Datatype:

Time Format:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

No

@V2If(@IsNewDoc; " ";

@V2If(TimesModified &gt;= 3;

@Subset(@Subset(PastEditDat

es; -4); 1); " ")

E5

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=

0;DEFAULT TimesModified :=

0;X := @Elements(PastAuthors)

- 4;@V2If(@IsNewDoc; " ";

@V2If(X - 1 &gt;= 0; @Text(x - 1)

+ " "; " ")

A5

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ";

@V2If(TimesModified &gt;= 4;

@ProperCase(@Subset(@Sub

set(PastAuthors; -5); 1)); " ")

D5

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " ";

@V2If(TimesModified &gt;= 4;

@Subset(@Subset(PastEditDat

es; -5); 1); " ")

Status

Text

[Not Assigned]

Computed when composed

No

Disabled

No

"0"

Date\_Closed

Time

04/11/97 01:28:54 PM

[Not Assigned]

Computed when composed

No

Disabled

No

- 78 -

Formula:	--
Field:	Closed_By
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	--
Field:	ID_Claim
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Case
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Budget
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Contact_Name
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@If(LName != "" & FName != "" ; LName + " , " + FName ; LName = "" ; FName ; LName)
Field:	Document_Author
Datatype:	Author Names
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbName; e; -1); "\");Database := @If(path = "" ; "TTPLAYER.NSF"; path + "\" +

- 79 -

**Field:**

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

**Field:**

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

**Field:**

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:

```
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Clas
sCache; Server : Database;
View1; Key1; 1))); "";
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(Clas
sCache; Server : Database;
View2; Key2; 1))); "";
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!="" ; "Remote"; Hit2 != "" ;
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
2);
Document_Editors
Author Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
No
--
Document_Readers
Reader Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
No
--
Document_Managers
Reader Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
```

- 80 -

Encryption:  
Update Requires Editor Access:  
Formula:

## Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Default Value Formula:

Disabled  
No  
DBName :=  
@Text(@DbName);Server :=  
@Subset(DBName; 1);Path :=  
@LeftBack(@Subset(@DbName;  
e; -1); "\");Database :=  
@If(path = "";  
"TIPLAYER.NSF"; path + "\" +  
"TIPLAYER.NSF");ClassCache  
:= "Notes" : "NoCache";View1 :=  
"Remote\_View";Key1 :=  
@Name([Abbreviate]);  
@V3UserName);View2 :=  
"Server\_View";Key2 :=  
@Name([O];  
@V3UserName);Hit1 :=  
@If(@IsError(@DbLookup(Class  
sCache; Server : Database;  
View1; Key1; 1))); "";  
@DbLookup(ClassCache;  
Server : Database; View1;  
Key1; 1));Hit2 :=  
@If(@IsError(@DbLookup(Class  
sCache; Server : Database;  
View2; Key2; 1))); "";  
@DbLookup(ClassCache;  
Server : Database; View2;  
Key2; 1));Direction := @If(Hit1  
!= ""; "Remote"; Hit2 != "";  
"Server"; "NoAccess");View :=  
@If(Direction = "Remote";  
View1; View2);Key :=  
@If(Direction = "Remote";  
Key1;  
Key2);@DbLookup(ClassCache  
; Server : Database; View; Key;  
5);  
Ins\_Company  
Text  
[Not Assigned]  
Editable  
No  
Disabled  
No  
DBName :=  
@Text(@DbName);Server :=  
@Subset(DBName; 1);Path :=  
@LeftBack(@Subset(@DbName;  
e; -1); "\");Database :=  
@If(path = "";  
"TIPLAYER.NSF"; path + "\" +  
"TIPLAYER.NSF");ClassCache  
:= "Notes" : "NoCache";View1 :=  
"Remote\_View";Key1 :=  
@Name([Abbreviate]);

- 81 -

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```

@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!="" ; "Remote"; Hit2 !="" ;
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]
Computed
No
Disabled
No
@ProperCase(@Name([CN];
@V3UserName));
Ins_Contact_Phone
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbNam
e; -1); "\");Database :=
@if(path = "" ;
"TIPLAYER.NSF"; path + "\" +
"TIPLAYER.NSF");ClassCache
:= "Notes" ; "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=

```

- 82 -

**Field:**

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Keyword User Interface:  
 Allowable Keywords:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Number Format:  
 Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Help Description:

```

@if(@IsError(@DbLookup(ClassCache; Server : Database;
View1; Key1; 1)))=""
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1));Hit2 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View2; Key2; 1)))=""
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1));Direction := @If(Hit1
I="" "Remote"; Hit2 I=""
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Phone");
Claims_Made
Keywords
Comma
Comma
[Not Assigned]
Editable
Check Boxes
Claims Made?Y
No
Disabled
No
Claims_Made
Retro
Text
[Not Assigned]
Editable
No
Disabled
No
Retro_Date
PL_Ext_Period
Text
[Not Assigned]
Editable
No
Disabled
No
PL_Ext_Period
PL_Agg_Limit
Number
Currency (2 Decimal Places)
No
No
No
[Not Assigned]

```



- 83 -

Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Aggregate_Limit
Field:	PL_Prod_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Prod_Limit
Field:	PL_Personal_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Personal_Limit
Field:	PL_Each_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Each_Limit
Field:	PL_Fire_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Fire_Limit
Field:	PL_Medical_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)

- 84 -

Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Medical_Limit
Field:	DED_Per
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Per
Field:	DED_Aggregate
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Aggregate
Field:	DED_Retained
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Retained
Field:	Occurrence_Made
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Occurrence Made? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

- 85 -

Default Value Formula:	Occurrence_Made
Field:	Endorsements
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Endorsements
Field:	Claimant
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Loss_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Loss_Location
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Alleged_Damages
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Radio Buttons
Allowable Keywords:	Bodily Injury
	Property Damage
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Fatality
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Keyword User Interface:	Check Boxes
Allowable Keywords:	Fatality?(Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

- 86 -

Formula:	--
Field:	Date_Of_Death
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claims_Facts
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claim_In_Suit
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Claim In Suit?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Date_Suit_Filed
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Date_Suit_Served
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Liability_Claimant_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable

- 87 -

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_Insured_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Exp
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Property_Description
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Property_Estimate
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Property_Seen_Location
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--

- 88 -

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**  
**Field Type:**  
**Keyword User Interface:**  
**Allowable Keywords:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Default Value Formula:**

**Property\_Seen**  
**Keywords**  
**Comma**  
**Comma**  
**[Not Assigned]**  
**Editable**  
**Check Boxes**  
**Property Seen?|Y**  
**No**  
**Disabled**  
**No**  
**--**

**Field:**

**Datatype:**  
**Time Format:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Default Value Formula:**

**Property\_Seen\_Date**  
**Time**  
**04/11/97**  
**[Not Assigned]**  
**Editable**  
**No**  
**Disabled**  
**No**  
**--**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Default Value Formula:**

**Witness\_Name**  
**Text**  
**[Not Assigned]**  
**Editable**  
**No**  
**Disabled**  
**No**  
**--**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Default Value Formula:**

**Witness\_Address**  
**Text**  
**[Not Assigned]**  
**Editable**  
**No**  
**Disabled**  
**No**  
**--**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Default Value Formula:**

**Witness\_Phone**  
**Text**  
**[Not Assigned]**  
**Editable**  
**No**  
**Disabled**  
**No**  
**--**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Default Value Formula:**

**Reported\_To**  
**Text**  
**[Not Assigned]**  
**Editable**  
**No**  
**Disabled**  
**No**  
**--**

**Field:**

**Datatype:**  
**Time Format:**

**Date\_Reported**  
**Time**  
**04/11/97**

- 89 -

Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Reinsurer_Notified
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Excess/Reinsurer Notified?Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Reinsurer_Notified_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Injury_Type
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	O_Cause
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Defense_MD
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Defense_Expert
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No

- 90 -

Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Plaintiff_MD
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Plaintiff_Expert
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Disc_Int
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Interrogatories?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Disc_Req
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Request for Prod. of Doc.{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Depositions
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Depositions Taken?{Y
Sign When Mailing/In Section:	No



91

Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Case_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Plaintiff_Demand
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Defense_Offer
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Settlement_Value
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Mediation
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Mediation/Arbitration
	Attempted? Y

92

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Defense_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Plaintiff_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Medical_Bills
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Medical Bills?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Lost_Wages
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Lost Wages?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Out_Of_Work_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--

93

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Out\_Of\_Work\_To  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 --

**Field:**

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Keyword User Interface:  
 Allowable Keywords:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

WC\_Eligible  
 Keywords  
 Comma  
 Comma  
 [Not Assigned]  
 Editable  
 Check Boxes  
 Eligible for WC?Y  
 No  
 Disabled  
 No  
 --

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

WC\_Paid  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

WC\_Medical  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

WC\_Indemnity  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

ScratchHist  
 Text  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 --

**Form:**

Form Alias:  
 Last Modification:  
 Type:  
 Window Title Formula:

General Liability  
 Construction Defect  
 GL\_Construct  
 12/15/98 01:03:24 PM  
 Document  
 SELECT \*General Liability

94

Include in Compose Menu:  
 Include in Query by Form:  
 Default Database Form:  
 Automatically Refresh Fields:  
 Mail New Documents When Saving:  
 Store Form In Documents:  
 Inherit Default Field Values:  
 Updates Become Responses:  
 Retain Prior Versions As Responses:  
 Activate Objects When Composing:  
 Activate Objects When Editing:  
 Activate Objects When Reading:  
 Document Encryption Keys:  
 Composed Documents May Be Read By:  
 Form May Be Composed By:  
 Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Claim - Construction Defect

No  
 Yes  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 [None Assigned]  
 All Users  
 All Users  
 Ins\_Policy  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Policy  
 Ins\_Policy\_From  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Policy\_Period\_From  
 Ins\_Policy\_To  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Policy\_Period\_To  
 Ins\_Claim\_Number  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Claim  
 LName  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Occurrence\_Made

95

Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction

96

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Number Format:  
 Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Help Description:

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Opposing\_Counsel

Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Opposing\_Counsel  
 Opp\_Counsel\_Address

Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Insured\_Address

Last\_Action  
 Text  
 [Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 Last\_Action

TimesModified  
 Number  
 General  
 No  
 No  
 No

The number of times that the document has been modified  
 Computed

No  
 Disabled  
 No  
 @If(@IsNewDoc; 0;  
 TimesModified != "";  
 TimesModified +  
 @IsDocBeingSaved; 0);  
 PastAuthors

Text  
 Semicolon  
 Semicolon  
 This field will track the past authors

Computed  
 No  
 Disabled  
 No

@V2If(@IsDocBeingSaved;  
 @V2If(TimesModified <= 0;  
 @ProperCase(@Name([CN];  
 @V3UserName)); PastAuthors :  
 @Name([CN];  
 @V3UserName)); PastAuthors)

97

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**

**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Time Format:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**PastEditDates**

**Text**  
**Semicolon**  
**Semicolon**  
 This field will track the past edit dates  
**Computed**  
**No**  
**Disabled**  
**No**  
 @V2If(@IsDocBeingSaved;  
 @V2If(TimesModified <= 0;  
 @Text(@Now); PastEditDates :  
 @Text(@Now)); PastEditDates)  
**Author**

**Text**  
 [Not Assigned]  
 Computed when composed  
**No**  
**Disabled**  
**No**

@ProperCase(@Name([CN];  
 @V3UserName))  
**Created**

**Time**  
 04/11/97 01:28:55 PM  
 [Not Assigned]  
 Computed when composed  
**No**  
**Disabled**

**No**  
 @Now  
**E1**  
**Text**  
 [Not Assigned]  
 Computed for display  
**No**  
**Disabled**  
**No**  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 0;y := x -

TimesModified;@V2If(@IsNew  
 Doc; ""; @V2If(y >= 0;  
 @Text(x - 1) + " "; ""))

**A1**  
**Text**  
 [Not Assigned]  
 Computed for display

**No**  
**Disabled**  
**No**  
 @V2If(@IsNewDoc; "";  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -1); 1)))

98

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**D1**

**Text**  
**[Not Assigned]**  
**Computed for display**  
**No**  
**Disabled**  
**No**  
**@V2If(@IsNewDoc; " ";**  
**@V2If(TimesModified >= 0;**  
**@Subset(@Subset(PastEditDat**  
**es; -1); 1); " ")**

**E2**

**Text**  
**[Not Assigned]**  
**Computed for display**  
**No**  
**Disabled**  
**No**  
**DEFAULT PastAuthors :=**  
**0;DEFAULT TimesModified :=**  
**0;X := @Elements(PastAuthors)**  
**- 1;@V2If(@IsNewDoc; " ";**  
**@V2If(X - 1 >= 0; @Text(x - 1)**  
**+ " "; " ")**

**A2**

**Text**  
**[Not Assigned]**  
**Computed for display**  
**No**  
**Disabled**  
**No**  
**@V2If(@IsNewDoc; " ";**  
**@V2If(TimesModified >= 1;**  
**@ProperCase(@Subset(@Sub**  
**set(PastAuthors; -2); 1)); " ")**

**D2**

**Text**  
**[Not Assigned]**  
**Computed for display**  
**No**  
**Disabled**  
**No**  
**@V2If(@IsNewDoc; " ";**  
**@V2If(TimesModified >= 1;**  
**@Subset(@Subset(PastEditDat**  
**es; -2); 1); " ")**

**E3**

**Text**  
**[Not Assigned]**  
**Computed for display**  
**No**  
**Disabled**  
**No**  
**DEFAULT PastAuthors :=**  
**0;DEFAULT TimesModified :=**  
**0;X := @Elements(PastAuthors)**



99

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

- 2;@V2If(@IsNewDoc; " " ;  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " " ))

A3  
 Text  
 [Not Assigned]  
 Computed for display

No  
 Disabled  
 No

@V2If(@IsNewDoc; " " ;  
 @V2If(TimesModified >= 2;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -3); 1)); " " ))

D3  
 Text  
 [Not Assigned]  
 Computed for display

No  
 Disabled  
 No

@V2If(@IsNewDoc; " " ;  
 @V2If(TimesModified >= 2;  
 @Subset(@Subset(PastEditDat  
 es; -3); 1); " " ))

E4  
 Text  
 [Not Assigned]  
 Computed for display

No  
 Disabled  
 No

DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 3;@V2If(@IsNewDoc; " " ;  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " " ))

A4  
 Text  
 [Not Assigned]  
 Computed for display

No  
 Disabled  
 No

@V2If(@IsNewDoc; " " ;  
 @V2If(TimesModified >= 3;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -4); 1)); " " ))

D4  
 Text  
 [Not Assigned]  
 Computed for display

No  
 Disabled  
 No

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**

/ 00

Formula:	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 3;
	@Subset(@Subset(PastEditDat
	es; -4); 1); " ")
Field:	E5
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 4;@V2If(@IsNewDoc; " ";
	@V2If(X - 1 >= 0; @Text(x - 1)
	+ " "; " ")
Field:	A5
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 4;
	@ProperCase(@Subset(@Sub
	set(PastAuthors; -5); 1)); " ")
Field:	D5
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 4;
	@Subset(@Subset(PastEditDat
	es; -5); 1); " ")
Field:	Status
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"0"
Field:	Date_Closed
Datatype:	Time
Time Format:	04/11/97 01:28:55 PM
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	-

101

Field:	Closed_By
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	-
Field:	ID_Claim
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Case
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Budget
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Contact_Name
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@If(LName != "" & FName != "", LName + ", " + FName; LName = ""; FName; LName)
Field:	Document_Author
Datatype:	Author Names
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbName; e; -1); "\");Database := @If(path = ""; "TTPLAYER.NSF"; path + "\" + "TTPLAYER.NSF");ClassCache

102

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**

```
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!="" : "Remote"; Hit2 !="" :
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
2);
Document_Editors
Author Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
No
--
Document_Readers
Reader Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
No
--
Document_Managers
Reader Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
```

Update Requires Editor Access:  
Formula:

## Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Default Value Formula:

```

No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"TTPLAYER.NSF"; path + "\\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate]);
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O]);
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
|= ""; "Remote"; Hit2 |= "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
5);
Ins_Company
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"TTPLAYER.NSF"; path + "\\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate]);
@V3UserName);View2 :=

```

104

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View1; Key1; 1))) "";
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View2; Key2; 1))) "";
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= ""; "Remote"; Hit2 != ""
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]
Computed
No
Disabled
No
@ProperCase(@Name([CN];
@V3UserName));
Ins_Contact_Phone
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbNam
e; -1); "\");Database :=
@if(path = "";
"TTPLAYER.NSF"; path + "\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Class
```

105

**Field:**

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Keyword User Interface:  
 Allowable Keywords:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Number Format:  
 Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Help Description:  
 Field Type:

sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != "", "Remote"; Hit2 != "",  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 "Phone");  
 Claims\_Made  
 Keywords  
 Comma  
 Comma  
 [Not Assigned]  
 Editable  
 Check Boxes  
 Claims Made?[Y  
 No  
 Disabled  
 No  
 Claims\_Made  
 Retro  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Retro\_Date  
 PL\_Ext\_Period  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 PL\_Ext\_Period  
 PL\_Agg\_Limit  
 Number  
 Currency (2 Decimal Places)  
 No  
 No  
 No  
 [Not Assigned]  
 Editable

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Aggregate_Limit
Field:	PL_Prod_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Prod_Limit
Field:	PL_Personal_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Personal_Limit
Field:	PL_Each_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Each_Limit
Field:	PL_Fire_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Fire_Limit
Field:	PL_Medical_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No



107

Parenttheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Medical_Limit
Field:	DED_Per
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parenttheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Per
Field:	DED_Aggregate
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parenttheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Aggregate
Field:	DED_Retained
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parenttheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Retained
Field:	Occurrence_Made
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Occurrence Made?Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made

108

Field:	Endorsements
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Endorsements
Field:	C_Project
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	C_Location
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	C_Type
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Radio Buttons
Allowable Keywords:	Single family home Townhomes Condominiums Commercial buildings
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	C_Involvement
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Radio Buttons
Allowable Keywords:	Developer General Contractor Subcontractor
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	C_Date_Construction
Datatype:	Time
Time Format:	04/11/97
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	C_Date_Completion
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	C_Date_Worked
Datatype:	Time
Time Format:	04/11/97
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	C_Date_Init_Defect
Datatype:	Time
Time Format:	04/11/97
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	C_Date_Defect
Datatype:	Time
Time Format:	04/11/97
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	C_Nature
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	C_Cost_Repair
Datatype:	Number

//0

Number Format:  
 Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

## Field:

Datatype:  
 Number Format:  
 Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

## Field:

Datatype:  
 Number Format:  
 Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

## Field:

Datatype:  
 Number Format:  
 Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

## Field:

Datatype:  
 Help Description:

Currency (2 Decimal Places)  
 No  
 No  
 No  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 --

C\_Cost\_Defense  
 Number  
 Currency (2 Decimal Places)  
 No  
 No  
 No  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 --

C\_Cost\_Trade  
 Number  
 Currency (2 Decimal Places)  
 No  
 No  
 No  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 --

C\_Cost\_Insured  
 Number  
 Currency (2 Decimal Places)  
 No  
 No  
 No  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 --

C\_Other\_Carriers\_Share  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 C\_Other\_Carriers\_Indem  
 Text  
 [Not Assigned]

116

Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	C_Other_Carriers
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Injury_Type
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	O_Cause
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Defense_MD
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Defense_Expert
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Plaintiff_MD
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--

112

<b>Field:</b>	<b>Plaintiff_Expert</b>
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
<b>Field:</b>	<b>Disc_Int</b>
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Interrogatories?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
<b>Field:</b>	<b>Disc_Req</b>
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Request for Prod. of Doc.{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
<b>Field:</b>	<b>Depositions</b>
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Depositions Taken?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
<b>Field:</b>	<b>Case_Date</b>
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
<b>Field:</b>	<b>Plaintiff_Demand</b>
Datatype:	Text
Help Description:	[Not Assigned]

/13

Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Defense_Offer
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Settlement_Value
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Mediation
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Mediation/Arbitration
Sign When Mailing/In Section:	Attempted?{Y
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	--
Datatype:	Defense_Pct
Number Format:	Number
Percentage (value * 100)%:	General
Parentheses on Negative Numbers:	Yes
Punctuated at Thousands:	No
Help Description:	No
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
	No

114

<b>Field:</b>	<b>Plaintiff_Pct</b>
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
<b>Field:</b>	<b>ScratchHist</b>
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	=
<b>Form:</b>	<b>General Liability Premises</b>
Form Alias:	GL_Premises
Last Modification:	12/15/96 01:04:04 PM
Type:	Document
Window Title Formula:	SELECT "General Liability Claim - Premises"
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form in Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
<b>Field:</b>	<b>Ins_Policy</b>
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
<b>Field:</b>	<b>Ins_Policy_From</b>
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No



115

Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

116

Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	The number of times that the

117

Field Type:	document has been modified
Sign When Mailing/In Section:	Computed
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
	@If(@IsNewDoc; 0; TimesModified != ""; TimesModified + @IsDocBeingSaved; 0);
Field:	PastAuthors
Datatype:	Text
Input Multi-Value Separator(s):	Semicolon
Display Multi-Value Separator:	Semicolon
Help Description:	This field will track the past authors
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsDocBeingSaved; @V2If(TimesModified <= 0; @ProperCase(@Name([CN]; @V3UserName)); PastAuthors : @Name([CN]; @V3UserName)); PastAuthors)
Field:	PastEditDates
Datatype:	Text
Input Multi-Value Separator(s):	Semicolon
Display Multi-Value Separator:	Semicolon
Help Description:	This field will track the past edit dates
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsDocBeingSaved; @V2If(TimesModified <= 0; @Text(@Now); PastEditDates : @Text(@Now)); PastEditDates)
Field:	Author
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@ProperCase(@Name([CN]; @V3UserName))
Field:	Created
Datatype:	Time
Time Format:	04/11/97 01:28:55 PM
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

Formula:  
Field:  
Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:  
Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:  
Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:  
Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:  
Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:

118

@Now  
E1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 0;y := x -  
TimesModified;@V2If(@IsNew  
Doc; " "; @V2If(y >= 0;  
@Text(x - 1) + " "; " "))  
A1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -1); 1)))  
D1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@V2If(TimesModified >= 0;  
@Subset(@Subset(PastEditDat  
es; -1); 1); " "))  
E2  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 1;@V2If(@IsNewDoc; " ";  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " "))  
A2  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No

Formula:

119

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

@V2If(@IsNewDoc; "";  
 @V2If(TimesModified >= 1;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -2); 1)); " ")

D2

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; "";

@V2If(TimesModified &gt;= 1;

@Subset(@Subset(PastEditDat  
 es; -2); 1); " ")

E3

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=

0; DEFAULT TimesModified :=

0; X := @Elements(PastAuthors)

- 2; @V2If(@IsNewDoc; "";

@V2If(X - 1 &gt;= 0; @Text(x - 1)

+ " "; " ")

A3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; "";

@V2If(TimesModified &gt;= 2;

@ProperCase(@Subset(@Sub

set(PastAuthors; -3); 1)); " ")

D3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; "";

@V2If(TimesModified &gt;= 2;

@Subset(@Subset(PastEditDat

es; -3); 1); " ")

E4

Text

[Not Assigned]

Computed for display

No

Disabled

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:

**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**

No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 3;@V2If(@IsNewDoc; "";  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + ".": ""))  
 A4  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; "";  
 @V2If(TimesModified >= 3;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -4); 1)); ""))  
 D4  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; "";  
 @V2If(TimesModified >= 3;  
 @Subset(@Subset(PastEditDat  
 es; -4); 1); ""))  
 E5  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 4;@V2If(@IsNewDoc; "";  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + ".": ""))  
 A5  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; "";  
 @V2If(TimesModified >= 4;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -5); 1)); ""))  
 D5  
 Text  
 [Not Assigned]

/2/

Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " " ; @V2If(TimesModified >= 4; @Subset(@Subset(PastEditDates; -5); 1); " ")
Field:	Status
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"0"
Field:	Date_Closed
Datatype:	Time
Time Format:	04/11/97 01:28:55 PM
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	--
Field:	Closed_By
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	--
Field:	ID_Claim
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Case
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Budget
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Contact_Name
Datatype:	Text

/22

Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):

[Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 @If(LName != "" & FName !=  
 ""; LName + ", " + FName;  
 LName = ""; FName; LName)  
 Document\_Author  
 Author Names  
 Comma  
 Comma  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbNam  
 e; -1); "\");Database :=  
 @If(path = "";  
 "TIPLAYER.NSF"; path + "\" +  
 "TIPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 2);  
 Document\_Editors  
 Author Names  
 Comma, Semicolon



123

Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 =

Document\_Readers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 =

Document\_Managers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 0; -1); "\\");Database :=  
 @If(path = "";  
 "TIPLAYER.NSF"; path + "\\\* +  
 "TIPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";

124

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
5);
Ins_Company
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"TIPLAYER.NSF"; path + "\" +
"TIPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassCache;
Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassCache;
Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= "", "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]
Computed
No
Disabled
No
```

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

125

Formula:

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```

@ProperCase(@Name([CN];
@V3UserName));
Ins_Contact_Phone
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "",
"TIPLAYER.NSF"; path + "\" +
"TIPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassCache;
Server : Database;
View1; Key1; 1)); "",
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1));Hit2 :=
@if(@IsError(@DbLookup(ClassCache;
Server : Database;
View2; Key2; 1)); "",
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1));Direction := @If(Hit1
!= "", "Remote"; Hit2 != "");
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache;
Server : Database; View; Key;
"Phone");
Claims_Made
Keywords
Comma
Comma
[Not Assigned]
Editable
Check Boxes
Claims Made?Y
No
Disabled
No

```

Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Keyword User Interface:  
 Allowable Keywords:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

/26

Default Value Formula:	Claims_Made
Field:	Retro
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Retro_Date
Field:	PL_Ext_Period
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ext_Period
Field:	PL_Agg_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Aggregate_Limit
Field:	PL_Prod_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Prod_Limit
Field:	PL_Personal_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Personal_Limit
Field:	PL_Each_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)

127

Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Each_Limit
Field:	PL_Fire_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Fire_Limit
Field:	PL_Medical_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Medical_Limit
Field:	DED_Per
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Per
Field:	DED_Aggregate
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

/28

Default Value Formula:	DED_Aggregate
Field:	DED_Retained
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Retained
Field:	Occurrence_Made
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Occurrence Made?(Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Endorsements
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Endorsements
Field:	Claimant
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Loss_Date
Datatype:	Time
Time Format:	04/11/07
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Loss_Location
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled

129

Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Alleged_Damages
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Radio Buttons
Allowable Keywords:	Bodily Injury
	Property Damage
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Fatality
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Keyword User Interface:	Check Boxes
Allowable Keywords:	Fatality? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	-
Field:	Date_Of_Death
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Claims_Facts
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Claim_In_Suit
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Claim In Suit? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Date_Suit_Filed
Datatype:	Time

130

Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Date_Suit_Served
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Liability_Claimant_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_Insured_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Exp
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Injury_Type
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable



	/ 3 /	
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		O_Cause
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		Defense_MD
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		Defense_Expert
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		Plaintiff_MD
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		Plaintiff_Expert
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		Disc_Int
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Interrogatories?{Y

Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:	132	No Disabled No --
<b>Field:</b> Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Keyword User Interface: Allowable Keywords: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Disc_Req Keywords Comma Comma [Not Assigned] Editable Check Boxes Request for Prod. of Doc.[Y No Disabled No --
<b>Field:</b> Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Keyword User Interface: Allowable Keywords: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Depositions Keywords Comma Comma [Not Assigned] Editable Check Boxes Depositions Taken?[Y No Disabled No --
<b>Field:</b> Datatype: Time Format: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Case_Date Time 04/11/97 [Not Assigned] Editable No Disabled No --
<b>Field:</b> Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:		Plaintiff_Demand Text [Not Assigned] Editable No Disabled No
<b>Field:</b> Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:		Defense_Offer Text [Not Assigned] Editable No Disabled No
<b>Field:</b> Datatype: Help Description: Field Type: Sign When Mailing/In Section:		Settlement_Value Text [Not Assigned] Editable No

/33

Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Mediation
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Mediation/Arbitration
Sign When Mailing/In Section:	Attempted?[Y
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	-
Datatype:	Defense_Pct
Number Format:	Number
Percentage (value * 100)%:	General
Parentheses on Negative Numbers:	Yes
Punctuated at Thousands:	No
Help Description:	No
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Field:	No
Datatype:	Plaintiff_Pct
Number Format:	Number
Percentage (value * 100)%:	General
Parentheses on Negative Numbers:	Yes
Punctuated at Thousands:	No
Help Description:	No
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Field:	No
Datatype:	Medical_Bills
Input Multi-Value Separator(s):	Keywords
Display Multi-Value Separator:	Comma
Help Description:	Comma
	[Not Assigned]

134

Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Medical Bills?Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Lost_Wages
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Lost Wages?Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Out_Of_Work_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Out_Of_Work_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	WC_Eligible
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Eligible for WC?Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	WC_Paid
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	WC_Medical
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable

135

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	WC_Indemnity
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	=
Form:	General Liability Product
Form Alias:	Liability
Last Modification:	GL_Product
Type:	12/15/96 01:04:42 PM
Window Title Formula:	Document
Include in Compose Menu:	SELECT "General Liability
Include in Query by Form:	Claim - Product Liability"
Default Database Form:	No
Automatically Refresh Fields:	Yes
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

/36

Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

137

**Default Value Formula:****Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

**Field:**

Datatype:  
 Number Format:  
 Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Help Description:

Occurrence\_Made

Zip

Text

[Not Assigned]

Editable

No

Disabled

No

Occurrence\_Made

Caption

Text

[Not Assigned]

Editable

No

Disabled

No

Caption

Jurisdiction

Text

[Not Assigned]

Editable

No

Disabled

No

Jurisdiction

Opposing\_Counsel

Text

[Not Assigned]

Editable

No

Disabled

No

Opposing\_Counsel

Opp\_Counsel\_Address

Text

[Not Assigned]

Editable

No

Disabled

No

Insured\_Address

Last\_Action

Text

[Not Assigned]

Computed

No

Disabled

No

Last\_Action

TimesModified

Number

General

No

No

No

The number of times that the

139

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Time Format:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

document has been modified  
 Computed  
 No  
 Disabled  
 No  
 @If(@IsNewDoc: 0;  
 TimesModified != "";  
 TimesModified +  
 @IsDocBeingSaved; 0);  
 PastAuthors  
 Text  
 Semicolon  
 Semicolon  
 This field will track the past  
 authors  
 Computed  
 No  
 Disabled  
 No  
 @V2If(@IsDocBeingSaved;  
 @V2If(TimesModified <= 0;  
 @ProperCase(@Name([CN];  
 @V3UserName)); PastAuthors :  
 @Name([CN];  
 @V3UserName)); PastAuthors)  
 PastEditDates  
 Text  
 Semicolon  
 Semicolon  
 This field will track the past edit  
 dates  
 Computed  
 No  
 Disabled  
 No  
 @V2If(@IsDocBeingSaved;  
 @V2If(TimesModified <= 0;  
 @Text(@Now); PastEditDates :  
 @Text(@Now)); PastEditDates)  
 Author  
 Text  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 @ProperCase(@Name([CN];  
 @V3UserName))  
 Created  
 Time  
 04/11/97 01:28:56 PM  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No



139

Formula:  
 Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

@Now  
 E1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 0;y := x -  
 TimesModified;@V2If(@IsNew  
 Doc; " "; @V2If(y >= 0;  
 @Text(x - 1) + " "; " "))

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

A1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -1); 1)))

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

D1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";  
 @V2If(TimesModified >= 0;  
 @Subset(@Subset(PastEditDat  
 es; -1); 1); " "))

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

E2  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 1;@V2If(@IsNewDoc; " ";  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " "))

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

A2  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

140

Formula:

@V2If(@IsNewDoc; " ");  
 @V2If(TimesModified >= 1;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -2); 1)); " ")

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

D2  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

@V2If(@IsNewDoc; " ");  
 @V2If(TimesModified >= 1;  
 @Subset(@Subset(PastEditDat  
 es; -2); 1); " ")

E3  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

DEFAULT PastAuthors :=  
 0; DEFAULT TimesModified :=  
 0; X := @Elements(PastAuthors)  
 - 2; @V2If(@IsNewDoc; " ");  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " ")

A3  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

@V2If(@IsNewDoc; " ");  
 @V2If(TimesModified >= 2;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -3); 1)); " ")

D3  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:

@V2If(@IsNewDoc; " ");  
 @V2If(TimesModified >= 2;  
 @Subset(@Subset(PastEditDat  
 es; -3); 1); " ")

E4  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled

Update Requires Editor Access:  
Formula:

141

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:

No

DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 3;@V2If(@IsNewDoc; " " ;  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " "))

A4

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 3;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -4); 1)); " "))

D4

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 3;  
@Subset(@Subset(PastEditDat  
es; -4); 1); " "))

E5

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 4;@V2If(@IsNewDoc; " " ;  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " "))

A5

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 4;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -5); 1)); " "))

D5

Text

[Not Assigned]

	142	
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; "";
		@V2If(TimesModified >= 4;
		@Subset(@Subset(PastEditDat
		es; -5); 1); " ")
Field:		Status
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		"0"
Field:		Date_Closed
Datatype:		Time
Time Format:		04/11/97 01:28:58 PM
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		"
Field:		Closed_By
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		"
Field:		ID_Claim
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ID_Case
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ID_Budget
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Contact_Name
Datatype:		Text

143

Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):

[Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 @If(LName != "" & FName !=  
 "", LName + ", " + FName;  
 LName = ""; FName; LName)  
 Document\_Author  
 Author Names  
 Comma  
 Comma  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbNam  
 e; -1); "\");Database :=  
 @If(path = "",  
 "TTPLAYER.NSF"; path + "\" +  
 "TTPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View1; Key1; 1))); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1);Hit2 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View2; Key2; 1))); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1);Direction := @If(Hit1  
 != "", "Remote"; Hit2 != "",  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 2);  
 Document\_Editors  
 Author Names  
 Comma, Semicolon

144

Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 =

Document\_Readers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 =

Document\_Managers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 e; -1); "\");Database :=  
 @If(path = "";  
 "TTPLAYER.NSF"; path + "\" +  
 "TTPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";

145

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```
View1; View2);Key :=
@If(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
5);
Ins_Company
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@If(path = "";
"TIPLAYER.NSF"; path + "\ +
"TIPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@If(@IsError(@DbLookup(ClassCache;
Server : Database;
View1; Key1; 1)); "";
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1));Hit2 :=
@If(@IsError(@DbLookup(ClassCache;
Server : Database;
View2; Key2; 1)); "";
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1));Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@If(Direction = "Remote";
View1; View2);Key :=
@If(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]
Computed
No
Disabled
No
```

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

Formula:

/ 46

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```

@ProperCase(@Name([CN];
@V3UserName));
Ins_Contact_Phone
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"TTPLAYER.NSF"; path + "\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Phone");
Claims_Made
Keywords
Comma
Comma
[Not Assigned]
Editable
Check Boxes
Claims Made?{Y
No
Disabled
No

```

Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Keyword User Interface:  
 Allowable Keywords:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:



147

Default Value Formula:	Claims_Made
Field:	Retro
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Retro_Date
Field:	PL_Ext_Period
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ext_Period
Field:	PL_Agg_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Aggregate_Limit
Field:	PL_Prod_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Prod_Limit
Field:	PL_Personal_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Personal_Limit
Field:	PL_Each_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)

148

Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Each_Limit
Field:	PL_Fire_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Fire_Limit
Field:	PL_Medical_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Medical_Limit
Field:	DED_Per
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Per
Field:	DED_Aggregate
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

<p>Default Value Formula:</p> <p>Field:</p> <p>Datatype:</p> <p>Number Format:</p> <p>Percentage (value * 100)%:</p> <p>Parentheses on Negative Numbers:</p> <p>Punctuated at Thousands:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Sign When Mailing/In Section:</p> <p>Encryption:</p> <p>Update Requires Editor Access:</p> <p>Default Value Formula:</p>	149	<p>DED_Aggregate</p> <p>DED_Retained</p> <p>Number</p> <p>Currency (2 Decimal Places)</p> <p>No</p> <p>No</p> <p>No</p> <p>[Not Assigned]</p> <p>Editable</p> <p>No</p> <p>Disabled</p> <p>No</p>
<p>Field:</p> <p>Datatype:</p> <p>Input Multi-Value Separator(s):</p> <p>Display Multi-Value Separator:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Keyword User Interface:</p> <p>Allowable Keywords:</p> <p>Sign When Mailing/In Section:</p> <p>Encryption:</p> <p>Update Requires Editor Access:</p> <p>Default Value Formula:</p>		<p>DED_Retained</p> <p>Occurrence_Made</p> <p>Keywords</p> <p>Comma</p> <p>Comma</p> <p>[Not Assigned]</p> <p>Editable</p> <p>Check Boxes</p> <p>Occurrence Made? Y</p> <p>No</p> <p>Disabled</p> <p>No</p>
<p>Field:</p> <p>Datatype:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Sign When Mailing/In Section:</p> <p>Encryption:</p> <p>Update Requires Editor Access:</p> <p>Default Value Formula:</p>		<p>Occurrence_Made</p> <p>Endorsements</p> <p>Text</p> <p>[Not Assigned]</p> <p>Editable</p> <p>No</p> <p>Disabled</p> <p>No</p>
<p>Field:</p> <p>Datatype:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Sign When Mailing/In Section:</p> <p>Encryption:</p> <p>Update Requires Editor Access:</p> <p>Default Value Formula:</p>		<p>Endorsements</p> <p>Claimant</p> <p>Text</p> <p>[Not Assigned]</p> <p>Editable</p> <p>No</p> <p>Disabled</p> <p>No</p>
<p>Field:</p> <p>Datatype:</p> <p>Time Format:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Sign When Mailing/In Section:</p> <p>Encryption:</p> <p>Update Requires Editor Access:</p> <p>Default Value Formula:</p>		<p>Loss_Date</p> <p>Time</p> <p>04/11/87</p> <p>[Not Assigned]</p> <p>Editable</p> <p>No</p> <p>Disabled</p> <p>No</p>
<p>Field:</p> <p>Datatype:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Sign When Mailing/In Section:</p> <p>Encryption:</p>		<p>Loss_Location</p> <p>Text</p> <p>[Not Assigned]</p> <p>Editable</p> <p>No</p> <p>Disabled</p>

Update Requires Editor Access: Default Value Formula:	150	No --
Field: Datatype: Help Description: Field Type: Keyword User Interface: Allowable Keywords:		Alleged_Damages Keywords [Not Assigned] Editable Radio Buttons Bodily Injury Property Damage
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		No Disabled No --
Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Keyword User Interface: Allowable Keywords: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		Fatality Keywords Comma Comma [Not Assigned] Computed when composed Check Boxes Fatality?{Y No Disabled No --
Field: Datatype: Time Format: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Date_Of_Death Time 04/11/97 [Not Assigned] Editable No Disabled No --
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Claims_Facts Text [Not Assigned] Editable No Disabled No --
Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Keyword User Interface: Allowable Keywords: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Claim_In_Suit Keywords Comma Comma [Not Assigned] Editable Check Boxes Claim In Suit?{Y No Disabled No --
Field: Datatype:		Date_Suit_Filed Time

151

Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Date_Suit_Served
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Liability_Claimant_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_Insured_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Exp
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Injury_Type
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable

152

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	O_Cause
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Defense_MD
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Defense_Expert
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Plaintiff_MD
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Plaintiff_Expert
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Disc_Int
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Interrogatories? [Y

/53

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	
Datatype:	Disc_Req
Input Multi-Value Separator(s):	Keywords
Display Multi-Value Separator:	Comma
Help Description:	Comma
Field Type:	[Not Assigned]
Keyword User Interface:	Editable
Allowable Keywords:	Check Boxes
Sign When Mailing/In Section:	Request for Prod. of Doc.[Y
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
	--
Field:	
Datatype:	Depositions
Input Multi-Value Separator(s):	Keywords
Display Multi-Value Separator:	Comma
Help Description:	Comma
Field Type:	[Not Assigned]
Keyword User Interface:	Editable
Allowable Keywords:	Check Boxes
Sign When Mailing/In Section:	Depositions Taken?[Y
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
	--
Field:	
Datatype:	Case_Date
Time Format:	Time
Help Description:	04/11/97
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
	--
Field:	
Datatype:	Plaintiff_Demand
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
	No
Field:	
Datatype:	Defense_Offer
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
	No
Field:	
Datatype:	Settlement_Value
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
	No

/54

Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Mediation
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Mediation/Arbitration
	Attempted?[Y
	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	-
Default Value Formula:	
Field:	Defense_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Plaintiff_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Medical_Bills
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]



155

Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Medical Bills?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Lost_Wages
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Lost Wages?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Out_Of_Work_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Out_Of_Work_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	WC_Eligible
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Eligible for WC?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	WC_Paid
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	WC_Medical
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable

156

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	WC_Indemnity
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Prod_Involved
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Prod_Defect
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Prod_Mfg
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Is insured manufacturer?[Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Prod_Mfg_Name
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Prod_Dist
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Is insured distributor?[Y
Sign When Mailing/In Section:	No
Encryption:	Disabled

Update Requires Editor Access:	157	No
Default Value Formula:		--
Field:		Prod_Dist_Name
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		Prod_Used
Datatype:		Keywords
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Radio Buttons
Allowable Keywords:		Work
		Home
		Other
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		Prod_Purchased
Datatype:		Time
Time Format:		04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		Prod_When_Used
Datatype:		Time
Time Format:		04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		Prod_Altered
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Was product changed / altered
		in chain of distribution ?[Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		--
Field:		Prod_Misused
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma

158

Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Was product misused by plaintiff? [Y]
	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	--
Default Value Formula:	
Field:	Prod_Misused_How
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Prod_Warn_Label
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Was warning label on product? [Y]
	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	--
Default Value Formula:	
Field:	Prod_Warn_Label_Adequit
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Was warning label adequit? [Y]
	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	--
Default Value Formula:	
Field:	Prod_Safety_Shts
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Did insured provide Material Safety Data Sheets (MSDS)? [Y]
	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	--
Default Value Formula:	

<p>Field:</p> <p>Datatype:</p> <p>Input Multi-Value Separator(s):</p> <p>Display Multi-Value Separator:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Keyword User Interface:</p> <p>Allowable Keywords:</p> <p>Sign When Mailing/In Section:</p> <p>Encryption:</p> <p>Update Requires Editor Access:</p> <p>Formula:</p>	159	<p>Prod_Acess_To_Safety_Shts</p> <p>Keywords</p> <p>Comma</p> <p>Comma</p> <p>[Not Assigned]</p> <p>Computed when composed</p> <p>Check Boxes</p> <p>Did plaintiff have access to MSDS? [Y</p> <p>No</p> <p>Disabled</p> <p>No</p> <p>--</p>
<p>Field:</p> <p>Datatype:</p> <p>Input Multi-Value Separator(s):</p> <p>Display Multi-Value Separator:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Keyword User Interface:</p> <p>Allowable Keywords:</p> <p>Sign When Mailing/In Section:</p> <p>Encryption:</p> <p>Update Requires Editor Access:</p> <p>Default Value Formula:</p>		<p>Prod_ID_By_Plantiff</p> <p>Keywords</p> <p>Comma</p> <p>Comma</p> <p>[Not Assigned]</p> <p>Editable</p> <p>Check Boxes</p> <p>Product ID made directly by plaintiff? [Y</p> <p>No</p> <p>Disabled</p> <p>No</p> <p>--</p>
<p>Field:</p> <p>Datatype:</p> <p>Input Multi-Value Separator(s):</p> <p>Display Multi-Value Separator:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Keyword User Interface:</p> <p>Allowable Keywords:</p> <p>Sign When Mailing/In Section:</p> <p>Encryption:</p> <p>Update Requires Editor Access:</p> <p>Default Value Formula:</p>		<p>Prod_ID_By_Others</p> <p>Keywords</p> <p>Comma</p> <p>Comma</p> <p>[Not Assigned]</p> <p>Editable</p> <p>Check Boxes</p> <p>Others? [Y</p> <p>No</p> <p>Disabled</p> <p>No</p> <p>--</p>
<p>Field:</p> <p>Datatype:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Sign When Mailing/In Section:</p> <p>Encryption:</p> <p>Update Requires Editor Access:</p> <p>Default Value Formula:</p>		<p>Prod_ID_Made_By</p> <p>Text</p> <p>[Not Assigned]</p> <p>Editable</p> <p>No</p> <p>Disabled</p> <p>No</p> <p>--</p>
<p>Field:</p> <p>Datatype:</p> <p>Input Multi-Value Separator(s):</p> <p>Display Multi-Value Separator:</p> <p>Help Description:</p> <p>Field Type:</p> <p>Keyword User Interface:</p> <p>Allowable Keywords:</p> <p>Sign When Mailing/In Section:</p>		<p>Prod_Other_Contrib</p> <p>Keywords</p> <p>Comma</p> <p>Comma</p> <p>[Not Assigned]</p> <p>Editable</p> <p>Check Boxes</p> <p>Other products that contributed to injury/ disease? [Y</p> <p>No</p>

160

Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Prod_Other_Contrib_Desc
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Prod_Satute_Repose
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Statute of Repose defense apply? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	--
Form:	PL- Details - Shared
Last Modification:	11/02/96 02:59:51 PM
Type:	Document
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Claimant
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No

161

Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Loss_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Claimant_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Claimant_Phone
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Claims_Facts
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Claim_In_Suit
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Claim In Suit?{Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	=
Field:	Liability_Claimant_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable

162

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_Insured_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Exp
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Form:	PL - Coverage - Shared
Last Modification:	11/02/98 03:00:07 PM
Type:	Document
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Coverage_Type
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Standard
Allow Values Not In List:	No
Allowable Keywords:	Individual Professional Liability Partnership - Association - Corporation



163

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Covered_Individuals
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Incident_Description
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Exclusions
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Standard
Allow Values Not In List:	No
Allowable Keywords:	<none selected>
	Criminal act
	Proprietor - administrator -
	trustee of other facility
	Injury to employee under WC
	law
	Contractual liability
	For Vets - liability for theft on an
	animal; vehicle liability; injury
	due to fire
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Cost_Per_Claim
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Cost_Aggregate
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No

Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:	164	No No [Not Assigned] Editable No Disabled No --
<b>Field:</b> Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Cost_Expenses Number Currency (2 Decimal Places) No No No [Not Assigned] Editable No Disabled No --
<b>Field:</b> Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Cost_Defense Number Currency (2 Decimal Places) No No No [Not Assigned] Editable No Disabled No --
<b>Form:</b> Last Modification: Type: Include in Compose Menu: Include in Query by Form: Default Database Form: Automatically Refresh Fields: Mail New Documents When Saving: Store Form In Documents: Inherit Default Field Values: Updates Become Responses: Retain Prior Versions As Responses: Activate Objects When Composing: Activate Objects When Editing: Activate Objects When Reading: Document Encryption Keys: Composed Documents May Be Read By: Form May Be Composed By: <b>Field:</b> Datatype: Help Description: Field Type: Sign When Mailing/In Section:		PL - Policy - Shared 11/02/98 03:00:23 PM Document No Yes No No No No No No No No No No [None Assigned] All Users All Users Insured_Entities Text [Not Assigned] Editable No

165

Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Entities
Field:	Retro
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Retro_Date
Field:	PL_Ext_Period
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ext_Period
Field:	PL_Each_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Each_Limit
Field:	PL_Agg_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Aggregate_Limit
Field:	PL_Personal_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Personal_Limit
Field:	PL_Ded_Ind

166

<b>Datatype:</b>	Number
<b>Number Format:</b>	Currency (2 Decimal Places)
<b>Percentage (value * 100)%:</b>	No
<b>Parentheses on Negative Numbers:</b>	No
<b>Punctuated at Thousands:</b>	No
<b>Help Description:</b>	[Not Assigned]
<b>Field Type:</b>	Editable
<b>Sign When Mailing/In Section:</b>	No
<b>Encryption:</b>	Disabled
<b>Update Requires Editor Access:</b>	No
<b>Default Value Formula:</b>	PL_Ded_Individual
<b>Field:</b>	PL_Ded_Comp
<b>Datatype:</b>	Number
<b>Number Format:</b>	Currency (2 Decimal Places)
<b>Percentage (value * 100)%:</b>	No
<b>Parentheses on Negative Numbers:</b>	No
<b>Punctuated at Thousands:</b>	No
<b>Help Description:</b>	[Not Assigned]
<b>Field Type:</b>	Editable
<b>Sign When Mailing/In Section:</b>	No
<b>Encryption:</b>	Disabled
<b>Update Requires Editor Access:</b>	No
<b>Default Value Formula:</b>	PL_Ded_Company
<b>Field:</b>	Endorsements
<b>Datatype:</b>	Text
<b>Help Description:</b>	[Not Assigned]
<b>Field Type:</b>	Editable
<b>Sign When Mailing/In Section:</b>	No
<b>Encryption:</b>	Disabled
<b>Update Requires Editor Access:</b>	No
<b>Default Value Formula:</b>	Endorsements
<b>Form:</b>	<b>Policy - All</b>
<b>Last Modification:</b>	12/16/96 10:04:03 AM
<b>Type:</b>	Document
<b>Include in Compose Menu:</b>	No
<b>Include in Query by Form:</b>	Yes
<b>Default Database Form:</b>	No
<b>Automatically Refresh Fields:</b>	No
<b>Mail New Documents When Saving:</b>	No
<b>Store Form In Documents:</b>	No
<b>Inherit Default Field Values:</b>	No
<b>Updates Become Responses:</b>	No
<b>Retain Prior Versions As Responses:</b>	No
<b>Activate Objects When Composing:</b>	No
<b>Activate Objects When Editing:</b>	No
<b>Activate Objects When Reading:</b>	No
<b>Document Encryption Keys:</b>	[None Assigned]
<b>Composed Documents May Be Read By:</b>	All Users
<b>Form May Be Composed By:</b>	All Users
<b>Field:</b>	Ins_Policy
<b>Datatype:</b>	Text
<b>Help Description:</b>	[Not Assigned]
<b>Field Type:</b>	Editable
<b>Sign When Mailing/In Section:</b>	No
<b>Encryption:</b>	Disabled

167

Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Policy_Holder
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled

168

Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Party
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No

169

**Help Description:****Field Type:****Sign When Mailing/In Section:****Encryption:****Update Requires Editor Access:****Formula:****Field:****Datatype:****Input Multi-Value Separator(s):****Display Multi-Value Separator:****Help Description:****Field Type:****Sign When Mailing/In Section:****Encryption:****Update Requires Editor Access:****Formula:****Field:****Datatype:****Input Multi-Value Separator(s):****Display Multi-Value Separator:****Help Description:****Field Type:****Sign When Mailing/In Section:****Encryption:****Update Requires Editor Access:****Formula:****Field:****Datatype:****Help Description:****Field Type:****Sign When Mailing/In Section:****Encryption:****Update Requires Editor Access:****Formula:****Field:****Datatype:****Time Format:****Help Description:****Field Type:****Sign When Mailing/In Section:****Encryption:**

The number of times that the document has been modified  
Computed

No

Disabled

No

@If(@IsNewDoc; 0;

TimesModified != ";

TimesModified +

@IsDocBeingSaved; 0);

PastAuthors

Text

Semicolon

Semicolon

This field will track the past authors

Computed

No

Disabled

No

@V2If(@IsDocBeingSaved;

@V2If(TimesModified &lt;= 0;

@ProperCase(@Name([CN];

@V3UserName)); PastAuthors :

@Name([CN];

@V3UserName)); PastAuthors)

PastEditDates

Text

Semicolon

Semicolon

This field will track the past edit dates

Computed

No

Disabled

No

@V2If(@IsDocBeingSaved;

@V2If(TimesModified &lt;= 0;

@Text(@Now); PastEditDates :

@Text(@Now); PastEditDates)

Author

Text

[Not Assigned]

Computed when composed

No

Disabled

No

@ProperCase(@Name([CN];

@V3UserName))

Created

Time

04/11/97 01:28:57 PM

[Not Assigned]

Computed when composed

No

Disabled

Update Requires Editor Access:  
Formula:  
Field:  
Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:  
Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:  
Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:  
Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:  
Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:

No  
@Now  
E1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 0;y := x -  
TimesModified;@V2If(@IsNew  
Doc; " "; @V2If(y >= 0;  
@Text(x - 1) + " "; " "))  
A1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -1); 1)))  
D1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@V2If(TimesModified >= 0;  
@Subset(@Subset(PastEditDat  
es; -1); 1); " "))  
E2  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 1;@V2If(@IsNewDoc; " ";  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " "))  
A2  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled



Update Requires Editor Access:  
Formula:

/71

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:

No

@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 1;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -2); 1)); " " ))

D2

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 1;  
@Subset(@Subset(PastEditDat  
es; -2); 1); " " ))

E3

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=  
0; DEFAULT TimesModified :=  
0; X := @Elements(PastAuthors)  
- 2; @V2If(@IsNewDoc; " " ;  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " " ; " " ))

A3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 2;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -3); 1)); " " ))

D3

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 2;  
@Subset(@Subset(PastEditDat  
es; -3); 1); " " ))

E4

Text

[Not Assigned]

Computed for display

No

**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

172

```
Disabled
No
DEFAULT PastAuthors :=
0;DEFAULT TimesModified :=
0;X := @Elements(PastAuthors)
- 3;@V2If(@IsNewDoc: " ");
@V2If(X - 1 >= 0, @Text(x - 1)
+ ":", ";"))
```

**Field:**  
**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

A4  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 3;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -4); 1)); " ")

**Field:**  
**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

D4  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; "";  
@V2If(TimesModified >= 3;  
@Subset(@Subset(PastEditDat  
es; -4); 1); " ")

**Field:**  
**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**E5**  
**Text**  
**[Not Assigned]**  
**Computed for display**  
**No**  
**Disabled**  
**No**  
**DEFAULT PastAuthors :=**  
**0;DEFAULT TimesModified :=**  
**0;X := @Elements(PastAuthors)**  
**- 4;@V2If(@IsNewDoc, " ",**  
**@V2If(X - 1 >= 0, @Text(x - 1)**  
**+ " ", ""))**

**Field:**  
**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

A5  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; "";  
@V2If(TimesModified >= 4;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -5); 1)); ""))

**Field:**  
**Datatype:**

**D5**  
**Text**

173

Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " "; @V2If(TimesModified >= 4; @Subset(@Subset(PastEditDat es; -5); 1); " "))
Field:	Status
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"0"
Field:	Date_Closed
Datatype:	Time
Time Format:	04/11/97 01:28:57 PM
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	--
Field:	Closed_By
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	--
Field:	ID_Claim
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Case
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Budget
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Document_Author

174

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Author Names  
 Comma  
 Comma  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 e; -1); "\");Database :=  
 @If(path = "";  
 "TTPLAYER.NSF"; path + "\" +  
 "TTPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 2);  
 Document\_Editors  
 Author Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 ""  
 Document\_Readers  
 Reader Names

Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:

175

Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:

Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 -

Document\_Managers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 e; -1); "\");Database :=  
 @If(path = "";  
 "ITPLAYER.NSF"; path + "\" +  
 "ITPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != "" : "Remote"; Hit2 != "" :  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 5);  
 Ins\_Company  
 Text  
 [Not Assigned]

176

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Editable  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 e; -1); "\");Database :=  
 @If(path = "",  
 "ITPLAYER.NSF"; path + "\" +  
 "ITPLAYER.NSF");ClassCache  
 := "Notes"; "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View1; Key1; 1)); "");  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1);Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "");  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1);Direction := @If(Hit1  
 != "", "Remote"; Hit2 != "");  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 "Company\_Name");

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Ins\_Contact  
 Text  
 [Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 @ProperCase(@Name([CN];  
 @V3UserName));  
 Ins\_Contact\_Phone

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No

Default Value Formula:

177

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```

DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"TTPLAYER.NSF"; path + "\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Phone");
Ins_Company_Address
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"TTPLAYER.NSF"; path + "\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=

```

178

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassesCache; Server : Database;
View1; Key1; 1))); "";
@DbLookup(ClassesCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassesCache; Server : Database;
View2; Key2; 1))); "";
@DbLookup(ClassesCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= "", "Remote"; Hit2 != ""
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassesCache
; Server : Database; View; Key;
"Address");
Ins_Company_City
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = ""
"TTPLAYER.NSF"; path + "\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassesCache; Server : Database;
View1; Key1; 1))); "";
@DbLookup(ClassesCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassesCache; Server : Database;
View2; Key2; 1))); "";
@DbLookup(ClassesCache;
Server : Database; View2;
```



179

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```

Key2; 1));Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@If(Direction = "Remote";
View1; View2);Key :=
@If(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"City");
Ins_Company_State
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbNam
e; -1); "\");Database :=
@If(path = "";
"TTPLAYER.NSF"; path + "\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@If(@IsError(@DbLookup(Clas
sCache; Server : Database;
View1; Key1; 1)); "";
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1));Hit2 :=
@If(@IsError(@DbLookup(Clas
sCache; Server : Database;
View2; Key2; 1)); "";
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1));Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@If(Direction = "Remote";
View1; View2);Key :=
@If(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"State");
Ins_Company_Zip
Text
[Not Assigned]

```

## Field:

Datatype:  
 Help Description:

/ 80

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Editable  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 e; -1); "\");Database :=  
 @If(path = "";  
 "ITPLAYER.NSF"; path + "\" +  
 "ITPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 "Zip");

**Form:**

Form Alias:  
 Last Modification:  
 Type:  
 Window Title Formula:  
  
 Include in Compose Menu:  
 Include in Query by Form:  
 Default Database Form:  
 Automatically Refresh Fields:  
 Mail New Documents When Saving:  
 Store Form In Documents:  
 Inherit Default Field Values:  
 Updates Become Responses:  
 Retain Prior Versions As Responses:

Professional Liability D&O  
 PL\_D&O  
 12/15/98 01:05:20 PM  
 Document  
 SELECT "Professional Liability  
 Claim - Directors and Officers "  
 No  
 Yes  
 No  
 No  
 No  
 No  
 No  
 No  
 No  
 No

181

Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text

182

Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text

183

Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	The number of times that the document has been modified
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@If(@IsNewDoc; 0; TimesModified != "";
	TimesModified +
	@IsDocBeingSaved; 0);
Field:	PastAuthors
Datatype:	Text
Input Multi-Value Separator(s):	Semicolon
Display Multi-Value Separator:	Semicolon
Help Description:	This field will track the past authors
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsDocBeingSaved;
	@V2If(TimesModified <= 0;
	@ProperCase(@Name([CN];
	@V3UserName)); PastAuthors :
	@Name([CN];
	@V3UserName)); PastAuthors)
Field:	PastEditDates
Datatype:	Text
Input Multi-Value Separator(s):	Semicolon
Display Multi-Value Separator:	Semicolon
Help Description:	This field will track the past edit dates
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

Formula:

184

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Time Format:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

@V2If(@IsDocBeingSaved:  
 @V2If(TimesModified <= 0;  
 @Text(@Now); PastEditDates :  
 @Text(@Now)); PastEditDates)  
 Author  
 Text  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 @ProperCase(@Name([CN];  
 @V3UserName))  
 Created  
 Time  
 04/11/97 01:28:57 PM  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 @Now  
 E1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 0;y := x -  
 TimesModified;@V2If(@IsNew  
 Doc; " "; @V2If(y >= 0;  
 @Text(x - 1) + " "; " "))  
 A1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -1); 1)))  
 D1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";  
 @V2If(TimesModified >= 0;  
 @Subset(@Subset(PastEditDat

185

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

es; -1); 1); " ")  
 E2  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 1;@V2If(@IsNewDoc; " ";  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " ")

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

A2  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";  
 @V2If(TimesModified >= 1;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -2); 1)); " ")  
 D2

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " ";  
 @V2If(TimesModified >= 1;  
 @Subset(@Subset(PastEditDat  
 es; -2); 1); " ")

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

E3  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 2;@V2If(@IsNewDoc; " ";  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " ")

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

A3  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:	186	@V2If(@IsNewDoc; " " ; @V2If(TimesModified >= 2; @ProperCase(@Subset(@Sub set(PastAuthors; -3); 1)); " ") D3 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " " ; @V2If(TimesModified >= 2; @Subset(@Subset(PastEditDat es; -3); 1); " ")
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		E4 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 3;@V2If(@IsNewDoc; " " ; @V2If(X - 1 >= 0; @Text(x - 1) + " "; " ")
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		A4 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " " ; @V2If(TimesModified >= 3; @ProperCase(@Subset(@Sub set(PastAuthors; -4); 1)); " ")
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		D4 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " " ; @V2If(TimesModified >= 3; @Subset(@Subset(PastEditDat es; -4); 1); " ")
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption:		E5 Text [Not Assigned] Computed for display No Disabled



187

Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Time Format:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:

No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 4;@V2If(@IsNewDoc; " ";  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " "))  
A5  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@V2If(TimesModified >= 4;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -5); 1)); " "))  
D5  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@V2If(TimesModified >= 4;  
@Subset(@Subset(PastEditDat  
es; -5); 1); " "))  
Status  
Text  
[Not Assigned]  
Computed when composed  
No  
Disabled  
No  
"0"  
Date\_Closed  
Time  
04/11/97 01:28:57 PM  
[Not Assigned]  
Computed when composed  
No  
Disabled  
No  
"  
Closed\_By  
Text  
[Not Assigned]  
Computed when composed  
No  
Disabled  
No  
"  
ID\_Claim  
Text

188

Help Description:	[Not Assigned]
Field Type:	• Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Case
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Budget
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Contact_Name
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@If(LName != "" & FName != "" ; LName + " " + FName ; LName = "" ; FName ; LName)
Field:	Document_Author
Datatype:	Author Names
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbName; e; -1); "\");Database := @If(path = "" ; "TTPLAYER.NSF"; path + "\" + "TTPLAYER.NSF");ClassCache := "Notes" : "NoCache";View1 := "Remote_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server_View";Key2 := @Name([O]; @V3UserName);Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server ; Database; View1; Key1; 1)); "" ;

189

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Input Multi-Value Separator(s):**  
**Display Multi-Value Separator:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

```
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1));Hit2 :=
@if(@IsError(@DbLookup(ClassCache;
Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
2);
```

Document\_Editors  
Author Names  
Comma, Semicolon  
Semicolon  
[Not Assigned]  
Computed when composed  
No  
Disabled  
No  
""

Document\_Readers  
Reader Names  
Comma, Semicolon  
Semicolon  
[Not Assigned]  
Computed when composed  
No  
Disabled  
No  
""

Document\_Managers  
Reader Names  
Comma, Semicolon  
Semicolon  
[Not Assigned]  
Computed when composed  
No  
Disabled  
No  
DBName :=  
@Text(@DbName);Server :=  
@Subset(DBName; 1);Path :=  
@LeftBack(@Subset(@DbName;  
e; -1); "\");Database :=  
@if(path = "";  
"ITPLAYER.NSF"; path + "\" +  
"ITPLAYER.NSF");ClassCache  
:= "Notes" : "NoCache";View1 :=

190

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@!IsError(@DbLookup(Clas
sCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1));Hit2 :=
@if(@!IsError(@DbLookup(Clas
sCache; Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1));Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
5);
Ins_Company
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbNam
e; -1); "\");Database :=
@if(path = "";
"ITPLAYER.NSF"; path + "\" +
"ITPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@!IsError(@DbLookup(Clas
sCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1));Hit2 :=
@if(@!IsError(@DbLookup(Clas
```

191

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Default Value Formula:**

```

sCache; Server : Database;
View2; Key2; 1)); "";
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1));Direction := @If(Hit1
!= "", "Remote"; Hit2 != ""
"Server"; "NoAccess");View :=
@If(Direction = "Remote";
View1; View2);Key :=
@If(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]
Computed
No
Disabled
No
@ProperCase(@Name([CN];
@V3UserName));
Ins_Contact_Phone
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbNam
e; -1); "\");Database :=
@If(path = "";
"TTPLAYER.NSF"; path + "\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@If(@IsError(@DbLookup(Clas
sCache; Server : Database;
View1; Key1; 1)); "";
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1));Hit2 :=
@If(@IsError(@DbLookup(Clas
sCache; Server : Database;
View2; Key2; 1)); "";
@DbLookup(ClassCache;
Server : Database; View2;

```

192

Field:	Key2: 1)):Direction := @If(Hit1 != "", "Remote"; Hit2 != "", "Server"; "NoAccess");View := @If(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server ; Database: View; Key; "Phone");
Datatype:	Insured_Entities
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Insured_Entities
Datatype:	Retro
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Retro_Date
Datatype:	PL_Ext_Period
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	PL_Ext_Period
Datatype:	PL_Ext_Period
Number Format:	PL_Each_Limit
Percentage (value * 100)%:	Number
Parentheses on Negative Numbers:	Currency (2 Decimal Places)
Punctuated at Thousands:	No
Help Description:	No
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	PL_Each_Limit
Datatype:	PL_Agg_Limit
Number Format:	Number
Percentage (value * 100)%:	Currency (2 Decimal Places)
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	No
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
	Disabled

/ 93

Update Requires Editor Access:	No
Default Value Formula:	PL_Aggregate_Limit
Field:	PL_Personal_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Personal_Limit
Field:	PL_Ded_Ind
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ded_Individual
Field:	PL_Ded_Comp
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ded_Company
Field:	Endorsements
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Endorsements
Field:	Claimant
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	No
Field:	Loss_Date
Datatype:	Time

194

Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	""
Field:	Claimant_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	""
Field:	Claimant_Phone
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	""
Field:	Claims_Facts
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	""
Field:	Claim_In_Suit
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Claim In Suit?[Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	""
Field:	Liability_Claimant_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_Insured_Pct
Datatype:	Number



195

Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Exp
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Law_Activities
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Standard
Allow Values Not In List:	No
Allowable Keywords:	Lawyer Administrator Conservator Executor Guardian Trustee Fiduciary
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Law_Type
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Standard
Allow Values Not In List:	No
Allowable Keywords:	Individual Partnership Corporation or Association Lawyers Previously Employed Lawyers Currently Employed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Law_Named

196

Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Law_Dishonest
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	--
Form:	Professional Liability E&O
Form Alias:	PL_E&O
Last Modification:	12/15/96 01:06:42 PM
Type:	Document
Window Title Formula:	SELECT "Professional Liability Claim - Errors and Omissions "
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]

197

Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]

198

Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General

Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Help Description:

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Time Format:  
 Help Description:

199

No  
 No  
 No

The number of times that the  
 document has been modified  
 Computed

No  
 Disabled  
 No

@If(@IsNewDoc; 0;  
 TimesModified != "";  
 TimesModified +  
 @IsDocBeingSaved; 0);  
 PastAuthors

Text  
 Semicolon  
 Semicolon  
 This field will track the past  
 authors  
 Computed

No  
 Disabled  
 No

@V2If(@IsDocBeingSaved;  
 @V2If(TimesModified <= 0;  
 @ProperCase(@Name([CN];  
 @V3UserName)); PastAuthors :  
 @Name([CN];  
 @V3UserName)); PastAuthors)  
 PastEditDates

Text  
 Semicolon  
 Semicolon  
 This field will track the past edit  
 dates

Computed  
 No  
 Disabled  
 No

@V2If(@IsDocBeingSaved;  
 @V2If(TimesModified <= 0;  
 @Text(@Now); PastEditDates :  
 @Text(@Now)); PastEditDates)  
 Author

Text  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No

@ProperCase(@Name([CN];  
 @V3UserName))

Created  
 Time  
 04/11/97 01:28:58 PM  
 [Not Assigned]

	200	
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@Now
Field:		E1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 0;y := x - TimesModified;@V2If(@IsNew Doc; " "; @V2If(y >= 0; @Text(x - 1) + " "; " "))
Field:		A1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " "; @ProperCase(@Subset(@Sub set(PastAuthors; -1); 1)))
Field:		D1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " "; @V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); " "))
Field:		E2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + " "; " "))
Field:		A2
Datatype:		Text
Help Description:		[Not Assigned]

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

201

Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " " ;  
 @V2If(TimesModified >= 1;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -2); 1)); " ")  
 D2

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " " ;  
 @V2If(TimesModified >= 1;  
 @Subset(@Subset(PastEditDal  
 es; -2); 1); " ")

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

E3  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 2;@V2If(@IsNewDoc; " " ;  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " ")

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

A3  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " " ;  
 @V2If(TimesModified >= 2;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -3); 1)); " ")

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

D3  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc; " " ;  
 @V2If(TimesModified >= 2;  
 @Subset(@Subset(PastEditDal  
 es; -3); 1); " ")

Field:

Datatype:

E4  
 Text

Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

202

[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 3;@V2If(@IsNewDoc; " ";  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " "))

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

A4  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@V2If(TimesModified >= 3;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -4); 1)); " "))

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

D4  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@V2If(TimesModified >= 3;  
@Subset(@Subset(PastEditDat  
es; -4); 1); " "))

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

E5  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 4;@V2If(@IsNewDoc; " ";  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " "))

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

A5  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@V2If(TimesModified >= 4;  
@ProperCase(@Subset(@Sub



Field:	203	set(PastAuthors: -5); 1)); " ")
Datatype:		D5
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
		@V2If(@IsNewDoc: " ":
		@V2If(TimesModified >= 4:
		@Subset(@Subset(PastEditDat
		es: -5); 1); " ")
Field:		Status
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		"0"
Field:		Date_Closed
Datatype:		Time
Time Format:		04/11/97 01:28:58 PM
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		--
Field:		Closed_By
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		--
Field:		ID_Claim
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ID_Case
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ID_Budget
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No

Encryption:  
 Update Requires Editor Access:  
 Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

204

Field:  
 Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Disabled  
 No  
 Contact\_Name  
 Text  
 [Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 @If(LName != "" & FName !=  
 ""; LName + ", " + FName;  
 LName = ""; FName: LName)  
 Document\_Author  
 Author Names  
 Comma  
 Comma  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbNam  
 e; -1); "\");Database :=  
 @If(path = "";  
 "ITPLAYER.NSF"; path + "\" +  
 "ITPLAYER.NSF");ClassCache  
 := "Notes"; "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;

266

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```

Key2; 1));Direction := @If(Hit1
!= "", "Remote"; Hit2 != ""
"Server"; "NoAccess");View :=
@If(Direction = "Remote";
View1; View2);Key :=
@If(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server ; Database; View; Key;
5);
Ins_Company
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbNam
e; -1); "\");Database :=
@If(path = ""
"ITPLAYER.NSF"; path + "\" +
"ITPLAYER.NSF");ClassCache
:= "Notes" ; "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@If(@IsError(@DbLookup(Clas
sCache; Server ; Database;
View1; Key1; 1)); ""
@DbLookup(ClassCache;
Server ; Database; View1;
Key1; 1));Hit2 :=
@If(@IsError(@DbLookup(Clas
sCache; Server ; Database;
View2; Key2; 1)); ""
@DbLookup(ClassCache;
Server ; Database; View2;
Key2; 1));Direction := @If(Hit1
!= "", "Remote"; Hit2 != ""
"Server"; "NoAccess");View :=
@If(Direction = "Remote";
View1; View2);Key :=
@If(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server ; Database; View; Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]

```

## Field:

Datatype:  
 Help Description:

Field:

205

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

2):

Document\_Editors  
 Author Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 --

Document\_Readers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 --

Document\_Managers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 e; -1); "\");Database :=  
 @If(path = "";  
 "ITPLAYER.NSF"; path + "\" +  
 "ITPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

207

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Computed  
 No  
 Disabled  
 No  
 @ProperCase(@Name([CN]:  
 @V3UserName));  
 Ins\_Contact\_Phone  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName: 1);Path :=  
 @LeftBack(@Subset(@DbNam  
 e: -1): "\"):Database :=  
 @If(path = "";  
 "TTPLAYER.NSF"; path + "\ +  
 "TTPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database:  
 View1: Key1: 1)); "";  
 @DbLookup(ClassCache:  
 Server : Database: View1:  
 Key1: 1));Hit2 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database:  
 View2: Key2: 1)); "";  
 @DbLookup(ClassCache:  
 Server : Database: View2:  
 Key2: 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote":  
 View1: View2);Key :=  
 @If(Direction = "Remote":  
 Key1;  
 Key2);@DbLookup(ClassCache  
 : Server : Database: View: Key:  
 "Phone");  
 Insured\_Entities  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

Default Value Formula:	208	Insured_Entities
Field:		Retro
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Retro_Date
Field:		PL_Ext_Period
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Ext_Period
Field:		PL_Each_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Each_Limit
Field:		PL_Agg_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Aggregate_Limit
Field:		PL_Personal_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Personal_Limit
Field:		PL_Ded_Ind
Datatype:		Number
Number Format:		Currency (2 Decimal Places)

209

Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ded_Individual
Field:	PL_Ded_Company
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ded_Company
Field:	Endorsements
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Endorsements
Field:	Claimant
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Loss_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claimant_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claimant_Phone
Datatype:	Text

210

Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claims_Facts
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claim_In_Suit
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Claim In Suit? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Liability_Claimant_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_Insured_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Exp



211

Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	--
<b>Form:</b>	<b>Professional Liability Hosp</b>
Form Alias:	PL_Hosp
Last Modification:	12/15/96 01:08:46 PM
Type:	Document
Window Title Formula:	SELECT "Professional Liability Claim - Hospital"
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable

2/2

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable

Formula:

214

Field:

Datatype:  
Input Multi-Value Separator(s):  
Display Multi-Value Separator:  
Help Description:

Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Input Multi-Value Separator(s):  
Display Multi-Value Separator:  
Help Description:

Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Time Format:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:

@If(@IsNewDoc, 0,  
TimesModified != 7,  
TimesModified +  
@IsDocBeingSaved, 0),  
PastAuthors

Text  
Semicolon  
Semicolon  
This field will track the past  
authors

Computed  
No  
Disabled  
No

@V2If(@IsDocBeingSaved,  
@V2If(TimesModified <= 0,  
@ProperCase(@Name([CN],  
@V3UserName)), PastAuthors,  
@Name([CN],  
@V3UserName)), PastAuthors)  
PastEditDates

Text  
Semicolon  
Semicolon  
This field will track the past edit  
dates

Computed  
No  
Disabled  
No

@V2If(@IsDocBeingSaved,  
@V2If(TimesModified <= 0,  
@Text(@Now), PastEditDates,  
@Text(@Now)), PastEditDates)  
Author

Text  
[Not Assigned]  
Computed when composed  
No

Disabled  
No

@ProperCase(@Name([CN],  
@V3UserName))

Created

Time  
04/11/97 01:28:58 PM

[Not Assigned]  
Computed when composed  
No

Disabled  
No

@Now

E1

Text  
[Not Assigned]  
Computed for display

2/3

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	The number of times that the document has been modified
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

215

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Field:

No  
Disabled  
No  
DEFAULT PastAuthors :=  
0:DEFAULT TimesModified :=  
0:X := @Elements(PastAuthors)  
- 0:y := x -  
TimesModified:@V2If(@IsNewDoc:  
Doc: "" @V2If(y >= 0;  
@Text(x - 1) + " ");  
A1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc: "";  
@ProperCase(@Subst(@Sub  
st(PastAuthors: -1): 1)))  
D1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc: "";  
@V2If(TimesModified >= 0;  
@Subst(@Subst(PastEditDat  
cs: -1): 1): ""))  
E2  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0:DEFAULT TimesModified :=  
0:X := @Elements(PastAuthors)  
- 1:@V2If(@IsNewDoc: "";  
@V2If(x - 1 >= 0; @Text(x - 1)  
+ " ");  
A2  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc: "";  
@V2If(TimesModified >= 1;  
@ProperCase(@Subst(@Sub  
st(PastAuthors: -2): 1)): ""))  
D2

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

216

Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V211(@IsNewDoc: " ");  
@V211(TimesModified >= 1;  
@Subset(@Subset(PastEditDat  
es: -2): 1): " ");

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

E3  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0:DEFAULT TimesModified :=  
0:X := @Elements(PastAuthors)  
- 2:@V211(@IsNewDoc: " ");  
@V211(X - 1 >= 0: @Text(x - 1)  
+ " "; " ");

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

A3  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V211(@IsNewDoc: " ");  
@V211(TimesModified >= 2;  
@ProperCase(@Subset(@Sub  
set(PastAuthors: -3): 1)): " ");

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

D3  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V211(@IsNewDoc: " ");  
@V211(TimesModified >= 2;  
@Subset(@Subset(PastEditDat  
es: -3): 1): " ");

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

E4  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0:DEFAULT TimesModified :=  
0:X := @Elements(PastAuthors)  
- 3:@V211(@IsNewDoc: " ");

218

Field:	@V2III(TimesModified >= 4.
Datatype:	@Subst((@Subst(PastEditDat
Help Description:	cs: -5): 1): 7)
Field Type:	Status
Sign When Mailing/In Section:	Text
Encryption:	[Not Assigned]
Update Requires Editor Access:	Computed when composed
Formula:	No
Field:	Disabled
Datatype:	No
Time Format:	TO
Help Description:	Date_Closed
Field Type:	Time
Sign When Mailing/In Section:	04/11/97 01:28:58 PM
Encryption:	[Not Assigned]
Update Requires Editor Access:	Computed when composed
Formula:	No
Field:	Disabled
Datatype:	No
Time Format:	--
Help Description:	Closed_By
Field Type:	Text
Sign When Mailing/In Section:	[Not Assigned]
Encryption:	Computed when composed
Update Requires Editor Access:	No
Formula:	Disabled
Field:	No
Datatype:	--
Time Format:	ID_Claim
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
Field:	ID_Case
Datatype:	Text
Time Format:	[Not Assigned]
Help Description:	Editable
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	No
Formula:	ID_Budget
Field:	Text
Datatype:	[Not Assigned]
Time Format:	Editable
Help Description:	No
Field Type:	Disabled
Sign When Mailing/In Section:	No
Encryption:	No
Update Requires Editor Access:	Contact_Name
Formula:	Text
Field:	[Not Assigned]
Datatype:	Computed
Time Format:	No
Help Description:	Disabled
Field Type:	No
Sign When Mailing/In Section:	
Encryption:	
Update Requires Editor Access:	

217

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

@V2II(X - 1 >= 0; @Text(x - 1)  
 + "..."))

A4

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2II(@IsNewDoc; "...")

@V2II(TimesModified >= 3;

@ProperCase(@Subst(@Sub  
 st(PastAuthors; -4); 1)); "...")

D4

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2II(@IsNewDoc; "...")

@V2II(TimesModified >= 3;

@Subst(@Subst(PastEditDal  
 es; -4); 1); "...")

E5

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=

0; DEFAULT TimesModified :=

0; X := @Elements(PastAuthors)

- 4; @V2II(@IsNewDoc; "...")

@V2II(X - 1 >= 0; @Text(x - 1)  
 + "..."))

A5

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2II(@IsNewDoc; "...")

@V2II(TimesModified >= 4;

@ProperCase(@Subst(@Sub  
 st(PastAuthors; -5); 1)); "...")

D5

Text

[Not Assigned]

Computed for display

No

Disabled

No

@V2II(@IsNewDoc; "...")

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:



Formula:

219

Field:

Datatype:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

```

@If(LName != "" & FName !=
": LName + " + FName.
LName = ": FName: LName)
Document_Author
Author Names
Comma
Comma
[Not Assigned]
Computed when composed
No
Disabled
No
DBName :=
@Text(@DbName).Server :=
@Subset(DBName: 1):Path :=
@LeftBack(@Subset(@DbName
c: -1), " ").Database :=
@If(path = ""
"ITPLAYER.NSF": path + " " +
"ITPLAYER.NSF"):ClassCache
:= "Notes": "NoCache":View1 :=
"Remote_View":Key1 :=
@Name(!Abbreviate):
@V3UserName:View2 :=
"Server_View":Key2 :=
@Name(!O):
@V3UserName:Hit1 :=
@If(@IsError(@DbLookup(Clas
sCache: Server: Database.
View1: Key1: 1)): ""
@DbLookup(ClassCache:
Server: Database: View1:
Key1: 1):Hit2 :=
@If(@IsError(@DbLookup(Clas
sCache: Server: Database.
View2: Key2: 1)): ""
@DbLookup(ClassCache.
Server: Database: View2:
Key2: 1):Direction := @If(Hit1
!= "" "Remote": Hit2 != ""
"Server": "NoAccess"):View :=
@If(Direction = "Remote":
View1: View2):Key :=
@If(Direction = "Remote":
Key1:
Key2):@DbLookup(ClassCache
: Server: Database: View: Key:
2).
Document_Editor
Author Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled

```

Field:

Datatype:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

220

Update Requires Editor Access:  
Formula:  
Field:  
Datatype:  
Input Multi-Value Separator(s):  
Display Multi-Value Separator:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:  
Field:  
Datatype:  
Input Multi-Value Separator(s):  
Display Multi-Value Separator:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

No  
—  
Document\_Readers  
Reader Names  
Comma, Semicolon  
Semicolon  
(Not Assigned)  
Computed when composed  
No  
Disabled  
No  
—  
Document\_Managers  
Reader Names  
Comma, Semicolon  
Semicolon  
(Not Assigned)  
Computed when composed  
No  
Disabled  
No  
DBName :=  
@Text(@DbName);Server :=  
@Subset(DBName: 1);Path :=  
@LeftBack(@Subset(@DbName:  
c: -1); "W");Database :=  
@If(path = ""  
TTPLAYER.NSF; path + "W" +  
TTPLAYER.NSF);ClassCache  
:= "Notes"; "NoCache";View1 :=  
"Remote\_View";Key1 :=  
@Name([Abbreviate];  
@V3UserName);View2 :=  
"Server\_View";Key2 :=  
@Name([O];  
@V3UserName);Hit1 :=  
@If(@IsError(@DbLookup(Class  
sCache: Server: Database:  
View1: Key1: 1)); ""  
@DbLookup(ClassCache:  
Server: Database: View1:  
Key1: 1));Hit2 :=  
@If(@IsError(@DbLookup(Class  
sCache: Server: Database:  
View2: Key2: 1)); ""  
@DbLookup(ClassCache:  
Server: Database: View2:  
Key2: 1));Direction := @If(Hit1  
!= "" "Remote"; Hit2 != ""  
"Server"; "NoAccess");View :=  
@If(Direction = "Remote",  
View1; View2);Key :=  
@If(Direction = "Remote",  
Key1;  
Key2);@DbLookup(ClassCache  
: Server: Database: View: Key:

221

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

51:  
 Inc\_Company  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName: 1);Path :=  
 @LeftBack(@Subset(@DbName  
 0: -1), "W");Database :=  
 @If(path = "",  
 "ITPLAYER.NSF", path + "W" +  
 "ITPLAYER.NSF");ClassCache :=  
 "Notes"; "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate],  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([ID],  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DLookup(Class  
 sCache, Server : Database,  
 View1; Key1, 1)), "",  
 @DLookup(ClassCache,  
 Server : Database, View1,  
 Key1, 1));Hit2 :=  
 @If(@IsError(@DLookup(Class  
 sCache, Server : Database,  
 View2; Key2, 1)), "",  
 @DLookup(ClassCache,  
 Server : Database, View2,  
 Key2, 1));Direction := @If(Hit1  
 != "", "Remote"; Hit2 != "",  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote",  
 View1, View2);Key :=  
 @If(Direction = "Remote",  
 Key1,  
 Key2);@DLookup(ClassCache,  
 Server : Database, View, Key,  
 "Company\_Name");

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Inc\_Contact  
 Text  
 [Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 @If(@IsError(@DLookup([CN],  
 @V3UserName)),  
 Inc\_Contact\_Phone  
 Text  
 [Not Assigned]

Field:

Datatype:  
 Help Description:

222

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Editable:  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DBName).Server :=  
 @Substr(DBName, 1).Path :=  
 @LeftBack(@Substr(@DBName,  
 c. - 1); 7).Database :=  
 @If(pull = "",  
 "ITPLAYER.NSF", pull + ".W" +  
 "ITPLAYER.NSF").ClassCache  
 := "Notes" : "NoCache".View1 :=  
 "Remote\_View".Key1 :=  
 @Name([Abbreviate].  
 @V3UserName).View2 :=  
 "Server\_View".Key2 :=  
 @Name([O].  
 @V3UserName).Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache: Server : Database:  
 View1: Key1: 1)): "",  
 @DbLookup(ClassCache:  
 Server : Database: View1:  
 Key1: 1)).Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache: Server : Database:  
 View2: Key2: 1)): "",  
 @DbLookup(ClassCache:  
 Server : Database: View2:  
 Key2: 1)).Direction := @If(Hit1  
 != "", "Remote": Hit2 != "",  
 "Server": "NoAccess").View :=  
 @If(Direction = "Remote":  
 View1: View2):Key :=  
 @If(Direction = "Remote":  
 Key1:  
 Key2):@DbLookup(ClassCache  
 : Server : Database: View: Key:  
 "Phone").

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Insured\_Entities  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Insured\_Entities  
 Retro  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Retro\_Date

Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Field:	223	PL_Ext_Period
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Ext_Period
Field:		PL_Each_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Each_Limit
Field:		PL_Age_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Aggregate_Limit
Field:		PL_Personal_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Personal_Limit
Field:		PL_Used_Ind
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Used_Individual

Field: Datatype: Number Format: Percentage (value * 100%): Parentheses on Negative Numbers: Rounded at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:	224	PL_Used_Comp Number Currency (2 Decimal Places): No No No [Not Assigned] Editable No Disabled No PL_Used_Company
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Endorsements Text [Not Assigned] Editable No Disabled No Endorsements
Field: Datatype: Help Description: Field Type: Keyword User Interface: Allow Values Not In List: Allowable Keywords:		Coverage_Type Keywords [Not Assigned] Editable Standard No Individual Professional Liability Partnership - Association - Corporation
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		No Disabled No --
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Covered_Individuals Text [Not Assigned] Editable No Disabled No --
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Incident_Description Text [Not Assigned] Editable No Disabled No --
Field: Datatype: Help Description: Field Type: Keyword User Interface: Allow Values Not In List: Allowable Keywords:		Exclusions Keywords [Not Assigned] Editable Standard No <None Selected>

225

Sign When Mailing/in Section:	Criminal act
Encryption:	Proprietor administrator
Update Requires Editor Access:	Trustee or other facility
Default Value Formula:	Injury to employee under WFL law
Field:	Contractual liability
Datatype:	For Veto liability for theft on an annual, vehicle liability, injury due to fire
Number Format:	No
Percentage (value * 100)%:	Disabled
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	—
Help Description:	Cost_Per_Claim
Field Type:	Number
Sign When Mailing/in Section:	Currency (2 Decimal Places)
Encryption:	No
Update Requires Editor Access:	No
Default Value Formula:	No
Field:	Cost_Aggregate
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	—
Field:	Cost_Expense
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	—
Field:	Cost_Defense
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]

Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:	226	Editable: No Disabled No --
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Claimant: Text [Not Assigned] Editable No Disabled No --
Field: Datatype: Time Format: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Loss_Date Time 04/11/97 [Not Assigned] Editable No Disabled No --
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Claimant_Address Text [Not Assigned] Editable No Disabled No --
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Claimant_Phone Text [Not Assigned] Editable No Disabled No --
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Claims_Facts Text [Not Assigned] Editable No Disabled No --
Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Keyword User Interface: Allowable Keywords: Sign When Mailing/In Section: Encryption:		Claim_In_Suit Keywords Comma Comma [Not Assigned] Editable Check Boxes Claim In Suit?Y No Disabled



227

Update Requires Editor Access:	No
Default Value Formula:	—
Field:	Liability_Claimant_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100%):	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Merging/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_Insured_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100%):	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Merging/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Cur_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Merging/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Cur_Reserve_Exp
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Merging/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Med_Insured
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Merging/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	—
Field:	Med_Incident
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Standard
Allow Values Not in List:	No
Allowable Keywords:	Partners Executive Officers Facility Administrator Stockholders

228

Sign When Mailing/in Section:	Directors
Encryption:	Trustees
Update Requires Editor Access:	Governors
Default Value Formula:	No
Field:	Disabled
Datatype:	No
Number Format:	Med_Cost_Per
Percentage (value * 100)%:	Number
Parentheses on Negative Numbers:	Currency (2 Decimal Places)
Punctuated at Thousands:	No
Help Description:	No
Field Type:	No
Sign When Mailing/in Section:	[Not Assigned]
Encryption:	Editable
Update Requires Editor Access:	No
Default Value Formula:	Disabled
Field:	No
Datatype:	Med_Cost_Approval
Number Format:	Number
Percentage (value * 100)%:	Currency (2 Decimal Places)
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	No
Field Type:	[Not Assigned]
Sign When Mailing/in Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Med_Cost_Expenses
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Med_Cost_Decline
Field:	Number
Datatype:	Currency (2 Decimal Places)
Number Format:	No
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Med_Blood_Bank
Field:	

229

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Keyword User Interface:**  
**Allow Values Not In List:**  
**Allowable Keywords:**

Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Default Value Formula:

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Default Value Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**  
**Sign When Mailing/In Section:**  
**Encryption:**  
**Update Requires Editor Access:**  
**Default Value Formula:**

**Field:**

**Datatype:**  
**Help Description:**  
**Field Type:**

Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

**Form:**

**Form Alias:**  
**Last Modification:**  
**Type:**  
**Window Title Formula:**

☐ Include in Compose Menu:  
☐ Include in Query by Form:  
☐ Default Database Form:  
☐ Automatically Refresh Fields:  
☐ Mail New Documents When Saving:  
☐ Store Form In Documents:  
☐ Inherit Default Field Values:  
☐ Updates Become Responses:

**Keywords**  
[Not Assigned]  
**Editable**  
**Standard**  
**No**  
**Clinical-pathological**  
**exam**  
**Diagnosis**  
**X-ray process**

Med\_Incident\_Includes  
Text  
[Not Assigned]  
Editable  
No  
Disabled  
No  
...

Med\_Property\_Damage  
Text  
[Not Assigned]  
Editable  
No  
Disabled  
No  
...

ScratchHist  
Text  
[Not Assigned]  
Computed when  
composed  
No  
Disabled  
No

Professional Liability  
Lawyers  
PL\_Lawyer  
12/15/96 01:09:27 PM  
Document  
SELECT "Professional  
Liability Claim - Lawyers"  
No  
Yes  
No  
No  
No  
No  
No  
No

230

Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

231

Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No

232

Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	The number of times that the document has been modified
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@If(@IsNewDoc: 0; TimesModified != ""; TimesModified + @IsDocBeingSaved: 0);
Field:	PastAuthors
Datatype:	Text
Input Multi-Value Separator(s):	Semicolon
Display Multi-Value Separator:	Semicolon
Help Description:	This field will track the past authors
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsDocBeingSaved: @V2If(TimesModified <= 0; @ProperCase(@Name([CN]); @V3UserName)); PastAuthors

233

## Field:

Datatype:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

@Name([CN]:

@V3UserName));

PastAuthors)

PastEditDates

Text

Semicolon

Semicolon

This field will track the  
past edit dates

Computed

No

Disabled

No

@V2If(@IsDocB

eingSaved;

@V2If(TimesModified &lt;=

0; @Text(@Now);

PastEditDates :

@Text(@Now));

PastEditDates)

Author

Text

[Not Assigned]

Computed when

composed

No

Disabled

No

## Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

@ProperCase{

@Name([CN]:

@V3UserName))

Created

Time

04/11/97 01:28:59 PM

[Not Assigned]

Computed when

composed

No

Disabled

No

@Now

E1

Text

[Not Assigned]

Computed for display

No

Disabled

No

DEFAULT PastAuthors :=

0;DEFAULT

TimesModified := 0:X :=

@Elements(PastAuthors)

## Field:

Datatype:

Time Format:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

## Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

234

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

- 0:y := x -  
 TimesModified:@V2If(@IsNewDoc: "" : @V2If(y >= 0: @Text(x - 1) + ": " : ""))  
 A1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc: "" :  
 @ProperCase(@Subset(  
 @Subset(PastAuthors;  
 -1): 1)))

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

D1  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc: "" :  
 @V2If(TimesModified >= 0:  
 @Subset(@Subset(Past  
 EditDates: -1): 1): ""))

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

E2  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0:DEFAULT  
 TimesModified := 0:X :=  
 @Elements(PastAuthors)  
 - 1:@V2If(@IsNewDoc: "" :  
 @V2If(X - 1 >= 0:  
 @Text(x - 1) + ": " : ""))

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

A2  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc: "" :  
 @V2If(TimesModified >= 1:  
 @ProperCase(@Subset(  
 @Subset(PastAuthors;  
 -2): 1)): ""))





236

Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0:DEFAULT  
 TimesModified := 0:X :=  
 @Elements(PastAuthors)  
 - 3:@V2If(@IsNewDoc: "  
 ": @V2If(X - 1 >= 0;  
 @Text(x - 1) + ": " " " )  
 A4

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc: "  
 @V2If(TimesModified >=  
 3:  
 @ProperCase(@Subset(  
 @Subset(PastAuthors:  
 -4): 1)): " " )  
 D4

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 @V2If(@IsNewDoc: "  
 @V2If(TimesModified >=  
 3:  
 @Subset(@Subset(Past  
 EditDates: -4): 1): " " )  
 E5

Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No  
 DEFAULT PastAuthors :=  
 0:DEFAULT  
 TimesModified := 0:X :=  
 @Elements(PastAuthors)  
 - 4:@V2If(@IsNewDoc: "  
 ": @V2If(X - 1 >= 0;  
 @Text(x - 1) + ": " " " )  
 A5

Field:

Datatype:  
 Help Description:  
 Field Type:

Text  
 [Not Assigned]  
 Computed for display

237

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc: " ";
	@V2If(TimesModified >=
	4;
	@ProperCase(@Subset(
	@Subset(PastAuthors:
	-5); 1)); " ")
Field:	D5
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc: " ";
	@V2If(TimesModified >=
	4;
	@Subset(@Subset(Past
	EditDates: -5); 1); " ")
Field:	Status
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when
	composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"0"
Field:	Date_Closed
Datatype:	Time
Time Format:	04/11/97 01:28:59 PM
Help Description:	[Not Assigned]
Field Type:	Computed when
	composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"
Field:	Closed_By
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when
	composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	"
Field:	ID_Claim
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No

238

Encryption:  
 Update Requires Editor Access:  
 Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Field:  
 Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:  
 Field:  
 Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Disabled  
 No  
 ID\_Case  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 ID\_Budget  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 Contact\_Name  
 Text  
 [Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 @If(LName != "" &  
 FName != ""; LName + ",  
 " + FName; LName = "";  
 FName; LName)  
 Document\_Author  
 Author Names  
 Comma  
 Comma  
 [Not Assigned]  
 Computed when  
 composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Serv  
 er := @Subset(DBName;  
 1);Path :=  
 @LeftBack(@Subset(@  
 DbName; -1);  
 "\");Database := @If(path  
 = ""; "TTPLAYER.NSF";  
 path + "\" +  
 "TTPLAYER.NSF");Class  
 Cache := "Notes";  
 "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2  
 := "Server\_View";Key2 :=  
 @Name([O];

239

Field:  
 Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:  
 Field:  
 Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:  
 Field:  
 Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:

```
@V3UserName):Hit1 :=
@if(@IsError(@DbLookup
p(ClassCache: Server :
Database: View1: Key1:
1)): "");
@DbLookup(ClassCach
e: Server : Database:
View1: Key1: 1)):Hit2 :=
@if(@IsError(@DbLooku
p(ClassCache: Server :
Database: View2: Key2:
1)): "");
@DbLookup(ClassCach
e: Server : Database:
View2: Key2:
1)):Direction := @If(Hit1
= ""; "Remote": Hit2 = "";
"Server";
"NoAccess");View :=
@if(Direction =
"Remote": View1:
View2):Key :=
@if(Direction =
"Remote": Key1:
Key2):@DbLookup(Clas
sCache: Server :
Database: View: Key: 2):
Document_Editors
Author Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when
composed
No
Disabled
No
""
Document_Readers
Reader Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when
composed
No
Disabled
No
""
Document_Managers
Reader Names
Comma, Semicolon
Semicolon
[Not Assigned]
```

Field Type:

240

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

Computed when

composed

No

Disabled

No

DBName :=

@Text(@DbName):Serv

er := @Subset(DBName;

1);Path :=

@LeftBack(@Subset(@

DbName: -1);

"\");Database := @If(path

= ""; "TTPLAYER.NSF";

path + "\" +

"TTPLAYER.NSF");Class

Cache := "Notes";

"NoCache".View1 :=

"Remote\_View".Key1 :=

@Name([Abbreviate];

@V3UserName);View2

:=

241

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassesCache; Server : Database;
View1; Key1; 1))); "";
@DbLookup(ClassesCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassesCache; Server : Database;
View2; Key2; 1))); "";
@DbLookup(ClassesCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassesCache
; Server : Database; View; Key;
5);
Ins_Company
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"ITPLAYER.NSF"; path + "\" +
"ITPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassesCache; Server : Database;
View1; Key1; 1))); "";
@DbLookup(ClassesCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassesCache; Server : Database;
View2; Key2; 1))); "";
@DbLookup(ClassesCache;
```

242

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 "Company\_Name");  
 Ins\_Contact  
 Text  
 [Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 @ProperCase(@Name([CN];  
 @V3UserName));  
 Ins\_Contact\_Phone  
 Text  
 [Not Assigned]  
 Editable  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbNam  
 e; -1); "\");Database :=  
 @If(path = "";  
 "ITPLAYER.NSF"; path + "\" +  
 "ITPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=





244

Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Personal_Limit
Field:	PL_Ded_Ind
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ded_Individual
Field:	PL_Ded_Comp
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ded_Company
Field:	Endorsements
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Endorsements
Field:	Claimant
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Loss_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable

245

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claimant_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claimant_Phone
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claims_Facts
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claim_In_Suit
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Claim In Suit?[Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Liability_Claimant_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_Insured_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No

246

Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Exp
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Law_Activities
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Standard
Allow Values Not In List:	No
Allowable Keywords:	Lawyer Administrator Conservator Executor Guardian Trustee Fiduciary
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	""
Field:	Law_Type
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Standard
Allow Values Not In List:	No
Allowable Keywords:	Individual Partnership Corporation or Association Lawyers Previously Employed Lawyers Currently Employed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	""
Field:	Law_Named
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable

247

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	""
Field:	Law_Dishonest
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	""
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	""
<b>Form:</b>	<b>Professional Liability PS&amp;D</b>
Form Alias:	PL_PS&D
Last Modification:	12/15/96 01:11:40 PM
Type:	Document
Window Title Formula:	SELECT "Professional Liability Claim - Phys, Surg, Dent."
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled

248

Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled

249	
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Last_Action
Field:	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No

## Help Description:

250

## Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

## Field:

Datatype:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

## Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

## Field:

Datatype:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

## Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

## Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

## Field:

Datatype:

Time Format:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

The number of times that the document has been modified

Computed

No

Disabled

No

@If(@IsNewDoc; 0;

TimesModified != "");

TimesModified +

@IsDocBeingSaved; 0);

PastAuthors

Text

Semicolon

Semicolon

This field will track the past

authors

Computed

No

Disabled

No

@V2If(@IsDocBeingSaved;

@V2If(TimesModified &lt;= 0;

@ProperCase(@Name([CN];

@V3UserName)); PastAuthors :

@Name([CN];

@V3UserName)); PastAuthors)

PastEditDates

Text

Semicolon

Semicolon

This field will track the past edit

dates

Computed

No

Disabled

No

@V2If(@IsDocBeingSaved;

@V2If(TimesModified &lt;= 0;

@Text(@Now); PastEditDates :

@Text(@Now)); PastEditDates)

Author

Text

[Not Assigned]

Computed when composed

No

Disabled

No

@ProperCase(@Name([CN];

@V3UserName))

Created

Time

04/11/97 01:28:59 PM

[Not Assigned]

Computed when composed

No

Disabled



Update Requires Editor Access:	25/	No
Formula:		@Now
Field:		E1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 0;y := x - TimesModified;@V2If(@IsNew Doc; " "; @V2If(y >= 0; @Text(x - 1) + " "; " "))
Field:		A1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " "; @ProperCase(@Subset(@Sub set(PastAuthors; -1); 1)))
Field:		D1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " "; @V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); " "))
Field:		E2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + " "; " "))
Field:		A2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled

Update Requires Editor Access: 251  
Formula:

## Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

No  
@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 1;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -2); 1)); " ")  
D2  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 1;  
@Subset(@Subset(PastEditDat  
es; -2); 1); " ")  
E3

## Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0; DEFAULT TimesModified :=  
0; X := @Elements(PastAuthors)  
- 2; @V2If(@IsNewDoc; " " ;  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " ")  
A3

## Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 2;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -3); 1)); " ")  
D3

## Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 2;  
@Subset(@Subset(PastEditDat  
es; -3); 1); " ")  
E4

## Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:

Text  
[Not Assigned]  
Computed for display  
No

Encryption:  
Update Requires Editor Access:  
Formula:

253

Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 3;@V2If(@IsNewDoc; " ";  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " "))

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

A4  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@V2If(TimesModified >= 3;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -4); 1)); " "))

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

D4  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@V2If(TimesModified >= 3;  
@Subset(@Subset(PastEditDat  
es; -4); 1); " "))

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

E5  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 4;@V2If(@IsNewDoc; " ";  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " "))

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

A5  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@V2If(TimesModified >= 4;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -5); 1)); " "))

Field:

D5  
Text

	254	
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " "; @V2If(TimesModified >= 4; @Subset(@Subset(PastEditDates; -5); 1); " ")
Field:		Status
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		"0"
Field:		Date_Closed
Datatype:		Time
Time Format:		04/11/97 01:28:59 PM
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		"
Field:		Closed_By
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		"
Field:		ID_Claim
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ID_Case
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ID_Budget
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Contact_Name

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

2.53

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Text  
 [Not Assigned]  
 Computed  
 No  
 Disabled  
 No  
 @If(LName != "" & FName !=  
 ""; LName + " " + FName;  
 LName = ""; FName; LName)  
 Document\_Author  
 Author Names  
 Comma  
 Comma  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbNam  
 e; -1); "\");Database :=  
 @If(path = "";  
 "ITPLAYER.NSF"; path + "\" +  
 "ITPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O];  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 2);  
 Document\_Editors  
 Author Names

## Field:

Datatype:

257

Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 =

Document\_Readers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 =

Document\_Managers  
 Reader Names  
 Comma, Semicolon  
 Semicolon  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 DBName :=  
 @Text(@DbName);Server :=  
 @Subset(DBName; 1);Path :=  
 @LeftBack(@Subset(@DbName;  
 e; -1); "\");Database :=  
 @If(path = "";  
 "TTPLAYER.NSF"; path + "\" +  
 "TTPLAYER.NSF");ClassCache  
 := "Notes" : "NoCache";View1 :=  
 "Remote\_View";Key1 :=  
 @Name([Abbreviate];  
 @V3UserName);View2 :=  
 "Server\_View";Key2 :=  
 @Name([O]);  
 @V3UserName);Hit1 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Class  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != ""; "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=

257

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```

@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View: Key:
5);
Ins_Company
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"ITPLAYER.NSF"; path + "\" +
"ITPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]
Computed
No
Disabled

```

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:

Update Requires Editor Access:  
Formula:

257

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Default Value Formula:

No  
@ProperCase(@Name([CN];  
@V3UserName));  
Ins\_Contact\_Phone  
Text  
[Not Assigned]  
Editable  
No  
Disabled  
No  
DBName :=  
@Text(@DbName);Server :=  
@Subset(DBName; 1);Path :=  
@LeftBack(@Subset(@DbName;  
-1); "\");Database :=  
@If(path = "";  
"ITPLAYER.NSF"; path + "\\" +  
"ITPLAYER.NSF");ClassCache  
:= "Notes" : "NoCache";View1 :=  
"Remote\_View";Key1 :=  
@Name([Abbreviate];  
@V3UserName);View2 :=  
"Server\_View";Key2 :=  
@Name([O];  
@V3UserName);Hit1 :=  
@If(@IsError(@DbLookup(Class  
sCache; Server : Database;  
View1; Key1; 1)); "";  
@DbLookup(ClassCache;  
Server : Database; View1;  
Key1; 1));Hit2 :=  
@If(@IsError(@DbLookup(Class  
sCache; Server : Database;  
View2; Key2; 1)); "";  
@DbLookup(ClassCache;  
Server : Database; View2;  
Key2; 1));Direction := @If(Hit1  
!= ""; "Remote"; Hit2 != "";  
"Server"; "NoAccess");View :=  
@If(Direction = "Remote";  
View1; View2);Key :=  
@If(Direction = "Remote";  
Key1;  
Key2);@DbLookup(ClassCache  
; Server : Database; View; Key;  
"Phone");  
Insured\_Entities  
Text  
[Not Assigned]  
Editable  
No  
Disabled  
No  
Insured\_Entities  
Retro  
Text

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Default Value Formula:

Field:

Datatype:



259

Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Retro_Date
Field:	PL_Ext_Period
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ext_Period
Field:	PL_Each_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Each_Limit
Field:	PL_Agg_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Aggregate_Limit
Field:	PL_Personal_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Personal_Limit
Field:	PL_Ded_Ind
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No

260

Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ded_Individual
Field:	PL_Ded_Comp
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ded_Company
Field:	Endorsements
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Endorsements
Field:	Coverage_Type
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Standard
Allow Values Not In List:	No
Allowable Keywords:	Individual Professional Liability
	Partnership - Association -
	Corporation
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Covered_Individuals
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Incident_Description
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Exclusions

	261	
Datatype:		Keywords
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Standard
Allow Values Not In List:		No
Allowable Keywords:		<none selected>
		Criminal act
		Proprietor - administrator -
		trustee of other facility
		Injury to employee under WC
		law
		Contractual liability
		For Vets - liability for theft on an
		animal; vehicle liability; injury
		due to fire
		No
		Disabled
		No
		--
Sign When Mailing/In Section:		Cost_Per_Claim
Encryption:		Number
Update Requires Editor Access:		Currency (2 Decimal Places)
Default Value Formula:		No
Field:		No
Datatype:		No
Number Format:		[Not Assigned]
Percentage (value * 100)%:		Editable
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		Disabled
Help Description:		No
Field Type:		--
Sign When Mailing/In Section:		Cost_Aggregate
Encryption:		Number
Update Requires Editor Access:		Currency (2 Decimal Places)
Default Value Formula:		No
Field:		No
Datatype:		No
Number Format:		[Not Assigned]
Percentage (value * 100)%:		Editable
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		Disabled
Help Description:		No
Field Type:		--
Sign When Mailing/In Section:		Cost_Expenses
Encryption:		Number
Update Requires Editor Access:		Currency (2 Decimal Places)
Default Value Formula:		No
Field:		No
Datatype:		No
Number Format:		[Not Assigned]
Percentage (value * 100)%:		Editable
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		Disabled
Help Description:		No
Field Type:		--
Sign When Mailing/In Section:		Cost_Defense
Encryption:		
Update Requires Editor Access:		
Default Value Formula:		
Field:		

262

Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claimant
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Loss_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claimant_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claimant_Phone
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claims_Facts
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Claim_In_Suit
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma

263

Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Claim In Suit? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	--
Field:	Liability_Claimant_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_Insured_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Exp
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	--
Form:	Property
Last Modification:	12/15/96 01:12:16 PM
Type:	Document

264

Window Title Formula:	SELECT "Property"
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made

265

Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurrence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction

Field:	266	Opposing_Counsel
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Opposing_Counsel
Field:		Opp_Counsel_Address
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Insured_Address
Field:		Last_Action
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		Last_Action
Field:		TimesModified
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		The number of times that the document has been modified
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@If(@IsNewDoc; 0; TimesModified != "";
		TimesModified +
		@IsDocBeingSaved; 0);
		PastAuthors
Field:		Text
Datatype:		Semicolon
Input Multi-Value Separator(s):		Semicolon
Display Multi-Value Separator:		This field will track the past
Help Description:		authors
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsDocBeingSaved;
		@V2If(TimesModified <= 0;
		@ProperCase(@Name([CN];
		@V3UserName)); PastAuthors :
		@Name([CN];
		@V3UserName)); PastAuthors)



Field: 267

Datatype:  
Input Multi-Value Separator(s):  
Display Multi-Value Separator:  
Help Description:

Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

PastEditDates  
Text  
Semicolon  
Semicolon  
This field will track the past edit dates  
Computed  
No  
Disabled  
No  
@V2If(@IsDocBeingSaved;  
@V2If(TimesModified <= 0;  
@Text(@Now); PastEditDates :  
@Text(@Now)); PastEditDates)  
Author

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Text  
[Not Assigned]  
Computed when composed  
No  
Disabled  
No  
@ProperCase(@Name([CN];  
@V3UserName))  
Created

Field:

Datatype:  
Time Format:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

Time  
04/11/97 01:29:00 PM  
[Not Assigned]  
Computed when composed  
No  
Disabled  
No

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

@Now  
E1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 0;y := x -  
TimesModified;@V2If(@IsNew  
Doc; " "; @V2If(y >= 0;  
@Text(x - 1) + " "; " "))

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

A1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " ";  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -1); 1)))

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

268

D1  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 0;  
@Subset(@Subset(PastEditDat  
es; -1); 1); " ")

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

E2  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)  
- 1;@V2If(@IsNewDoc; " " ;  
@V2If(X - 1 >= 0; @Text(x - 1)  
+ " "; " ")

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

A2  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 1;  
@ProperCase(@Subset(@Sub  
set(PastAuthors; -2); 1)); " ")

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

D2  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
@V2If(@IsNewDoc; " " ;  
@V2If(TimesModified >= 1;  
@Subset(@Subset(PastEditDat  
es; -2); 1); " ")

Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Formula:

E3  
Text  
[Not Assigned]  
Computed for display  
No  
Disabled  
No  
DEFAULT PastAuthors :=  
0;DEFAULT TimesModified :=  
0;X := @Elements(PastAuthors)

269

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

- 2;@V2If(@IsNewDoc; " " ;  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " " ))

A3  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

@V2If(@IsNewDoc; " " ;  
 @V2If(TimesModified >= 2;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -3); 1)); " " ))

D3  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

@V2If(@IsNewDoc; " " ;  
 @V2If(TimesModified >= 2;  
 @Subset(@Subset(PastEditDat  
 es; -3); 1); " " ))

E4  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

DEFAULT PastAuthors :=  
 0;DEFAULT TimesModified :=  
 0;X := @Elements(PastAuthors)  
 - 3;@V2If(@IsNewDoc; " " ;  
 @V2If(X - 1 >= 0; @Text(x - 1)  
 + " "; " " ))

A4  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

@V2If(@IsNewDoc; " " ;  
 @V2If(TimesModified >= 3;  
 @ProperCase(@Subset(@Sub  
 set(PastAuthors; -4); 1)); " " ))

D4  
 Text  
 [Not Assigned]  
 Computed for display  
 No  
 Disabled  
 No

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:

Formula:	270	@V2If(@IsNewDoc: " ";
		@V2If(TimesModified >= 3;
		@Subset(@Subset(PastEditDat
		es; -4); 1); " ")
Field:		E5
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 4;@V2If(@IsNewDoc: " ";
		@V2If(X - 1 >= 0; @Text(x - 1)
		+ " "; " ")
Field:		A5
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc: " ";
		@V2If(TimesModified >= 4;
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -5); 1)); " ")
Field:		D5
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc: " ";
		@V2If(TimesModified >= 4;
		@Subset(@Subset(PastEditDat
		es; -5); 1); " ")
Field:		Status
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		"0"
Field:		Date_Closed
Datatype:		Time
Time Format:		04/11/97 01:29:00 PM
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		"

271

Field:	
Datatype:	Closed_By
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed when composed
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
Field:	—
Datatype:	ID_Claim
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Field:	No
Datatype:	ID_Case
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Field:	No
Datatype:	ID_Budget
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Field:	No
Datatype:	Contact_Name
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
Field:	@If(LName != "" & FName != "" ; LName + ", " + FName ; LName = "" ; FName ; LName)
Datatype:	Document_Author
Input Multi-Value Separator(s):	Author Names
Display Multi-Value Separator:	Comma
Help Description:	Comma
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed when composed
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
Field:	DBName :=
Datatype:	@Text(@DbName);Server :=
Input Multi-Value Separator(s):	@Subset(DBName; 1);Path :=
Display Multi-Value Separator:	@LeftBack(@Subset(@DbName
Help Description:	e; -1); "\").Database :=
Field Type:	@If(path = "" ;
Sign When Mailing/In Section:	"ITPLAYER.NSF"; path + "\\" +
Encryption:	"ITPLAYER.NSF");ClassCache
Update Requires Editor Access:	
Formula:	

272

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Input Multi-Value Separator(s):  
 Display Multi-Value Separator:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:

```
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassesCache; Server : Database;
View1; Key1; 1))); "";
@DbLookup(ClassesCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassesCache; Server : Database;
View2; Key2; 1))); "";
@DbLookup(ClassesCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= "", "Remote"; Hit2 != ""
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassesCache
; Server : Database; View; Key;
2);
Document_Editors
Author Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
No
""
Document_Readers
Reader Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
No
""
Document_Managers
Reader Names
Comma, Semicolon
Semicolon
[Not Assigned]
Computed when composed
No
Disabled
```

273

Update Requires Editor Access:  
Formula:

```
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"ITPLAYER.NSF"; path + "\" +
"ITPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View1; Key1; 1)); "");
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(Class
sCache; Server : Database;
View2; Key2; 1)); "");
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @if(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
5);
Ins_Company
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"ITPLAYER.NSF"; path + "\" +
"ITPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
```

## Field:

Datatype:  
Help Description:  
Field Type:  
Sign When Mailing/In Section:  
Encryption:  
Update Requires Editor Access:  
Default Value Formula:

274

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

## Field:

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Default Value Formula:

```
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View1; Key1; 1))); "";
@DbLookup(ClassCache;
Server : Database; View1;
Key1; 1);Hit2 :=
@if(@IsError(@DbLookup(ClassCache; Server : Database;
View2; Key2; 1))); "";
@DbLookup(ClassCache;
Server : Database; View2;
Key2; 1);Direction := @If(Hit1
!= ""; "Remote"; Hit2 != "";
"Server"; "NoAccess");View :=
@if(Direction = "Remote";
View1; View2);Key :=
@if(Direction = "Remote";
Key1;
Key2);@DbLookup(ClassCache
; Server : Database; View; Key;
"Company_Name");
Ins_Contact
Text
[Not Assigned]
Computed
No
Disabled
No
@ProperCase(@Name([CN];
@V3UserName));
Ins_Contact_Phone
Text
[Not Assigned]
Editable
No
Disabled
No
DBName :=
@Text(@DbName);Server :=
@Subset(DBName; 1);Path :=
@LeftBack(@Subset(@DbName;
-1); "\");Database :=
@if(path = "";
"TTPLAYER.NSF"; path + "\" +
"TTPLAYER.NSF");ClassCache
:= "Notes" : "NoCache";View1 :=
"Remote_View";Key1 :=
@Name([Abbreviate];
@V3UserName);View2 :=
"Server_View";Key2 :=
@Name([O];
@V3UserName);Hit1 :=
@if(@IsError(@DbLookup(Class
```



275

**Field:**

Datatype:  
 Help Description:  
 Field Type:  
 Sign When Mailing/In Section:  
 Encryption:  
 Update Requires Editor Access:  
 Formula:

sCache; Server : Database;  
 View1; Key1; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View1;  
 Key1; 1));Hit2 :=  
 @If(@IsError(@DbLookup(Clas  
 sCache; Server : Database;  
 View2; Key2; 1)); "";  
 @DbLookup(ClassCache;  
 Server : Database; View2;  
 Key2; 1));Direction := @If(Hit1  
 != "", "Remote"; Hit2 != "";  
 "Server"; "NoAccess");View :=  
 @If(Direction = "Remote";  
 View1; View2);Key :=  
 @If(Direction = "Remote";  
 Key1;  
 Key2);@DbLookup(ClassCache  
 ; Server : Database; View; Key;  
 "Phone");  
 ScratchHist  
 Text  
 [Not Assigned]  
 Computed when composed  
 No  
 Disabled  
 No  
 =

**View Information:****View Name:**

Last Modification:  
 Default Database View:  
 No Response Hierarchy:  
 Categories Initially:  
 Unread Marks:  
 Refresh Frequency:  
 Discard Index:  
 View May Be Used By:  
 Time Relative Formulae:  
 Selection Formula:  
 Column Number:  
 Column Title:  
 Column Formula:  
 Column Width:  
 List Separator:  
 Hidden:  
 Responses Only:  
 Icon:  
 Number Format:  
 Percentage (value \* 100)%:  
 Parentheses on Negative Numbers:  
 Punctuated at Thousands:  
 Time Format:  
 Sorting:

All Claims|All By Client  
 04/11/97 01:19:27 PM  
 No  
 Disabled  
 Expanded  
 None  
 Automatic  
 Never  
 All Users  
 No  
 SELECT @All  
 1  
 Claim Number  
 Ins\_Claim\_Number  
 10 Characters  
 No  
 No  
 No  
 General  
 No  
 No  
 No  
 04/11/97 01:29:00 PM  
 Ascending

276

Justification:	Left
Totals:	None
Hide Detail Values:	No
Column Number:	2
Column Title:	Insured
Column Formula:	Ins_Policy_Holder
Column Width:	11 Characters
List Separator:	
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None
Hide Detail Values:	No
Column Number:	3
Column Title:	Policy
Column Formula:	Ins_Policy
Column Width:	8 Characters
List Separator:	
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None
Hide Detail Values:	No
Column Number:	4
Column Title:	Claim Type
Column Formula:	Form
Column Width:	10 Characters
List Separator:	
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None
Hide Detail Values:	No
Column Number:	5
Column Title:	Last Action

277

Column Formula:	Last Action
Column Width:	10 Characters
List Separator:	
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None
Hide Detail Values:	No
<b>View Name:</b>	<b>Closed</b>
Last Modification:	Claims Closed_By_Client
Default Database View:	12/15/86 03:43:56 PM
No Response Hierarchy:	No
Categories Initially:	Disabled
Unread Marks:	Expanded
Refresh Frequency:	None
Discard Index:	Automatic
View May Be Used By:	Never
Time Relative Formulae:	All Users
Selection Formula:	No
Column Number:	SELECT Status = "3";
Column Title:	1
Column Formula:	Claim Number
Column Width:	Ins_Claim_Number
List Separator:	10 Characters
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	Ascending
Justification:	Left
Totals:	None
Hide Detail Values:	No
Column Number:	2
Column Title:	Insured
Column Formula:	Ins_Policy_Holder
Column Width:	11 Characters
List Separator:	
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No

278

Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None
Hide Detail Values:	No
Column Number:	3
Column Title:	Policy
Column Formula:	Ins_Policy
Column Width:	8 Characters
List Separator:	
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None
Hide Detail Values:	No
Column Number:	4
Column Title:	Claim Type
Column Formula:	Form
Column Width:	10 Characters
List Separator:	
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None
Hide Detail Values:	No
Column Number:	5
Column Title:	Last Action
Column Formula:	Last_Action
Column Width:	10 Characters
List Separator:	
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None

Hide Detail Values:

279

No

## View Name:

Open Claims|Open\_By\_Client

Last Modification:

12/16/96 02:55:43 PM

Default Database View:

No

No Response Hierarchy:

Disabled

Categories Initially:

Expanded

Unread Marks:

None

Refresh Frequency:

Automatic

Discard Index:

Never

View May Be Used By:

All Users

Time Relative Formulae:

No

Selection Formula:

SELECT Status = "0";

Column Number:

1

Column Title:

Claim Number

Column Formula:

Ins\_Claim\_Number

Column Width:

10 Characters

List Separator:

Hidden:

No

Responses Only:

No

Icon:

No

Number Format:

General

Percentage (value \* 100)%:

No

Parentheses on Negative Numbers:

No

Punctuated at Thousands:

No

Time Format:

04/11/97 01:29:00 PM

Sorting:

Ascending

Justification:

Left

Totals:

None

Hide Detail Values:

No

Column Number:

2

Column Title:

Insured

Column Formula:

Ins\_Policy\_Holder

Column Width:

11 Characters

List Separator:

Hidden:

No

Responses Only:

No

Icon:

No

Number Format:

General

Percentage (value \* 100)%:

No

Parentheses on Negative Numbers:

No

Punctuated at Thousands:

No

Time Format:

04/11/97 01:29:00 PM

Sorting:

No

Justification:

Left

Totals:

None

Hide Detail Values:

No

Column Number:

3

Column Title:

Policy

Column Formula:

Ins\_Policy

Column Width:

8 Characters

List Separator:

Hidden:

No

Responses Only:

No

Icon:

No

Number Format:

General

280

Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None
Hide Detail Values:	No
Column Number:	4
Column Title:	Claim Type
Column Formula:	Form
Column Width:	10 Characters
List Separator:	
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None
Hide Detail Values:	No
Column Number:	5
Column Title:	Last Action
Column Formula:	Last_Action
Column Width:	10 Characters
List Separator:	
Hidden:	No
Responses Only:	No
Icon:	No
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Time Format:	04/11/97 01:29:00 PM
Sorting:	No
Justification:	Left
Totals:	None
Hide Detail Values:	No

- 281 -

We Claim:

1. A method of managing litigation using an automated litigation management system networking a source of the litigation to a plurality of subscribers through a central hub, comprising the steps of:
  - 5 entering new claim information relating to a new litigation into a source new claims databases associated with the source;  
transmitting a new claim signal in response to the entry of the new claim information into the source new claim database to a central processing means associated with the central hub and interfaced to a plurality of subscriber processing means each being associated with one of the plurality of subscribers;  
10 selecting one of the plurality of subscribers in response to the transmission of the new claim signal and defining said subscriber as a selected subscriber;  
transmitting at least some of the new claim information to the selected subscriber; and  
15 automatically storing the new claim information so transmitted in a subscriber new cases database accessible by the subscriber processing means associated with the selected subscriber.
2. The method of claim 1, further comprising the steps of:
  - 20 verifying that no conflict exists within the selected subscriber based on the new case information stored in the subscriber new cases database; and  
generating an electronic response indicative of the verification and transmitting the same to the source.
3. The method of claim 2, further comprising the steps of:
  - 25 selecting a different one of the plurality of subscribers if based on the electronic response a conflict exists; and  
defining said different subscriber as the selected subscriber.
4. The method of claim 1, further comprising the steps of:
  - preparing a litigation proposal based on the new claim information stored

- 282 -

in the subscriber new claims database;

transmitting proposal data indicative of the litigation proposal to the source;

storing the proposal data in the source new claims database; and

5 transmitting a proposal response to the selected subscriber indicating whether the litigation proposal is acceptable.

5. The method of claim 4, wherein the proposal response is representative of any one of a proposal acceptance, a proposal denial, and a request for more information.

10 6. The method of claim 4, further comprising the step of:  
electronically transmitting additional claim-related information from the source to the selected subscriber if the litigation proposal is acceptable; and  
storing the additional claim-related information in the subscriber case database associated with the selected subscriber along with the new claim information.

15 7. A method of managing litigation using an automated litigation management system networking a source of the litigation to a plurality of subscribers through a central hub, comprising the steps of:  
generating a request for approval to perform a litigation activity;  
transmitting the request for approval from a subscriber processing means  
20 associated with one of the plurality of subscribers to a source processing means associated with the source;  
transmitting an activity response indicative of a decision to approve or deny the activity request; and  
updating a subscriber authorization database accessible by a subscriber  
25 processing means associated with the one subscriber.

8. The method of claim 7, further comprising the steps of:  
generating a request for payment associated with the activity when the activity is completed;



- 283 -

enabling a transmission of the request for payment if the activity request is approved; and

disabling the transmission of the request for payment if the activity request is denied.

5 9. A litigation management system interconnecting at least one source of information and a plurality of subscribers, each of the plurality of subscribers having an associated office litigation administration system for facilitating the administration of litigation by the subscriber, the system comprising:

10 a source system for providing source information relating to new and on-going litigations and for receiving subscriber information relating to the same litigations;

15 a plurality of subscriber interfaces configured to receive source information and store the source information in the associated office litigation administration systems and to retrieve subscriber information from the associated office litigation administration systems and transmit the subscriber information so retrieved to the source system; and

20 a central processing means interfaced to receive source information from the source system and subscriber information from the plurality of subscriber interfaces for establishing authorized links between the source and the plurality of subscribers based on predetermined criteria.

10. The system of claim 9, further comprising:

a subscriber database interfaced with the central processing means for storing data relating to each of the plurality of subscribers; and

25 wherein the central processing means comprises a selection means for selecting one of the plurality of subscribers based on at least some of the source information and the data stored in the subscriber database.

11. The system of claim 10, wherein the predetermined criteria includes the location of the subscriber.

- 284 -

12. The system of claim 9, wherein the source system comprises:

a new claims database for storing new case information relating to new litigations, the source system transmitting at least some of the new claim information as source information to the central processing means thereby initiating a procedure to  
5 establish one authorized link.

13. The system of claim 9, wherein the plurality of subscribers require authorization to carry out predefined activities, the source system comprising:

a database means for storing subscriber information relating to the authorization of the predefined activities carried out by each subscriber connected to  
10 the source through one of the authorized links established by the central processing means.


14. The system of claim 9, wherein each of the plurality of subscriber interfaces comprises:

a new cases database for storing source information received from the  
15 central processing means to establish one authorized link between the subscriber associated with the same subscriber interface, the source information so stored relating to new litigation and defining new case information,

the same subscriber interface transferring the new case information from the new cases database to the associated office litigation administration system after the  
20 central processing means establishes the one authorized link.

15. The system of claim 9, wherein the plurality of subscribers require authorization to carry out predefined activities and each of the plurality of subscriber interfaces comprises:

a database means for storing source information relating to the  
25 authorization of the predefined activities received from the source system; and  
a billing verification means for generating a request for payment after the completion of each predefined activity and for transmitting the request for payment based on information stored in the authorizations database.

**FIGURE 1**

2/36





FIGURE 2

BEST AVAILABLE COPY

3/36



BEST AVAILABLE COPY

FIGURE 3

4/36





FIGURE 4A

BEST AVAILABLE COPY


5/36



BEST AVAILABLE COPY

FIGURE 4B

6/36




BEST AVAILABLE COPY

FIGURE 5




7/36



BEST AVAILABLE COPY

FIGURE 6


8/36



BEST AVAILABLE COPY

Figure 7

9/36



BEST AVAILABLE COPY

Figure 7A





Figure 8




12/36



BEST AVAILABLE COPY


Figure 9



BEST AVAILABLE COPY

Figure 9A

14/36



The screenshot shows a window titled "New Case Assignment". Inside, there is a table with four columns. The first column lists law firms, the second column lists phone numbers, the third column lists "Law Firm" names, and the fourth column lists state abbreviations. The table contains six rows of data. To the right of the table, there are several empty rectangular boxes, likely for additional information or actions.


IC2 Test Lawyer1	(609) 869-8110	Law Firm	NJ
IC2 Test Lawyer1	(609) 869-8110	Law Firm	NJ
IC2 Test Lawyer2	(609) 869-8110	Law Firm	NJ
Moser & Marzalek, P.C.	314-421-5364	Law Firm	MO
Moser & Marzalek, P.C.	314-421-5364	Law Firm	MO
Tolley, Vanden Bosch & Walton	616-942-8090	Law Firm	Mi
Tolley, Vanden Bosch & Walton	616-942-8090	Law Firm	Mi

BEST AVAILABLE COPY

Figure 9B




15/36




BEST AVAILABLE COPY

Figure 9C



BEST AVAILABLE COPY

Figure 10



BEST AVAILABLE COPY

Figure 11

Claim Type

215

Automobile  
Environmental  
Excess  
General Liability  
Professional Liability  
Property

BEST AVAILABLE COPY


Figure 12

Claim Type

Automobile
Environmental
Excess
Professional Liability
Property

BEST AVAILABLE COPY

Figure 13




The image shows a screenshot of a software window titled "Claim Type". The window has a standard Windows-style border with a title bar, a menu bar, and a toolbar. The main area contains a list of claim types. The list is currently empty, but the following items are visible in the list box:

- Completed Operations
- Construction Defect
- Provisional

Below the list box, there is a text area with the label "Description" and a small "OK" button in the bottom right corner.


BEST AVAILABLE COPY

Figure 14



BEST AVAILABLE COPY

Figure 15



BEST AVAILABLE COPY

Figure 15A



23/36


New Case Assignment

IC2 Test Lawyer1	(609) 869-8110	Law Firm	NJ
IC2 Test Lawyer1	(609) 869-8110	Law Firm	NJ
IC2 Test Lawyer2	(609) 869-8110	Law Firm	NJ
Moser & Marsalek, P.C.	314-421-5364	Law Firm	MO
Moser & Marsalek, P.C.	314-421-5364	Law Firm	MO
Tolley, Vanden Bosch & Walton	616-942-8090	Law Firm	MI
Tolley, Vanden Bosch & Walton	616-942-8090	Law Firm	MI

024

BEST AVAILABLE COPY


Figure 15B



BEST AVAILABLE COPY

Figure 15C


25/36



BEST AVAILABLE COPY

Figure 16

26/36



BEST AVAILABLE COPY

Figure 16A

Policy Number	BA222	Claim Number	C0011	Case ID
Insured	Jones's Market			
Caption	Martin v. Jones's Market			
Opposing Party	Jane Martin	Opposing Counsel	Tony Stevens	
Last Action:				
Last sent to IC2 Test Lawyer1 from Bob Vuoto of IC2 Test InsurerE on 04/22/97				

## Requestor Comments:

Please provide a status report on developments on this claim.

I. Nature of the claim

II. Facts/Evidence Update

III. Damage Update

IV. Liability Update

V. Verdict Potential/Settlement Update

VI. Current Status

- 225
- A. Exit Strategy
  - B. Investigation
  - C. Discovery
  - D. Procedural
  - E. Other

VII. Recommended Activity


- A. New/revised exit strategy
- B. Additional investigation
- C. Additional discovery
- D. Additional experts
- E. ADR
- F. Other

VIII. Pre-Trial Litigation Plan and Budget Updates

IX. Comments


IC2 Solutions, Inc. 1996 All Rights Reserved.

BEST AVAILABLE COPY




BEST AVAILABLE COPY

Figure 17A



BEST AVAILABLE COPY


Figure 18



BEST AVAILABLE COPY


Figure 18A






BEST AVAILABLE COPY

Figure 19



BEST AVAILABLE COPY

Figure 19A



BEST AVAILABLE COPY

Figure 20

## Pre-Trial Report

Policy Number	BA222	Claim Number	C0011	Case ID
Insured	Jones's Market			
Caption	Martin v. Jones's Market			
Opposing Party	Jane Martin	Opposing Counsel	Tony Stevens	
Last Action:				
Last sent to IC2 Test Lawyer1 from Bob Vuoto of IC2 Test InsurerE on 04/22/97				

## Requestor Comments:

Please complete this Pre-Trial Report as case is proceeding to trial.

## I. Trial Schedule/Venue

- A. Trial Date
- B. Venue/forum/judge
- C. Jury or non-jury trial
- D. Trial counsel

## II. Nature of the Case

## III. Summary of Issues to be Tried

- A. Claimant's issues
- B. Defense issues
- C. Other parties' issue

## IV. Witnesses

- A. Claimant's witnesses
- B. Defense witnesses
- C. Other parties

## V. Trial Strategy

## VI. Liability Analysis

## VII. Damage Analysis


## VIII. Verdict Potential/Settlement

- A. Probable verdict range
- B. Settlement value range
- C. Current settlement posture
- D. Setoffs, liens or other factors affecting settlement
- E. Insured's consent to settle
- F. Negotiation strategy
- G. Use of ADR

## IX. Trial Preparation


- A. Additional investigation recommended
- B. Additional experts recommended
- C. Necessary research/trial memoranda
- D. Subpoenas to be served
- E. Demonstrative evidence proposed
- F. Pre-trial motions
- G. Anticipated length of trial
- H. Other

## Comments



BEST AVAILABLE COPY

Figure 21A



BEST AVAILABLE COPY

Figure 22

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US97/07207**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) : G06F 17/60; G06G 7/52

US CL : 395/209

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 395/209

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, DIALOG

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5,182,705 A (BARR et al.) 26 January 1993; abstract; col. 3, lines 29-51; col. 5, line 61 through col. 6, line 50; col. 6, lines 59-67; col. 13, lines 54-61; col. 22, line 62 through col. 23, line 50; col. 32, lines 57-67; col. 59, line 56 through col. 61, line 46.	1, 3-15.
Y	Pritchard-Schoch, Teresa; "The Law Librarian's First Step To CIO: The Conflicts Database"; Database; v16; n6; December 1993; page 106, col. 1-3.	2, 3.
Y	Garner, Rochelle; "Law Office Manager helps attorneys track client, court information"; MacWEEK; v5; n39; 12 November 1991; abstract; page 1, lines 35-45.	4, 5, 7, 8, 14, 15.



Further documents are listed in the continuation of Box C.



See patent family annex.

•

Special categories of cited documents:

\*A\*

document defining the general state of the art which is not considered to be part of particular relevance

\*E\*

earlier document published on or after the international filing date

\*I\*

document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\*

document referring to an oral disclosure, use, exhibition or other means

\*P\*

document published prior to the international filing date but later than the priority date claimed

\*T\*

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\*

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\*

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*Z\*

document member of the same patent family

Date of the actual completion of the international search

17 JUNE 1997

Date of mailing of the international search report

08 JUL 1997

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

GAIL O. HAYES

Telephone No. (703) 305-9711